

PT. MEGA ANDALAN KALASAN

HEAD OFFICE
Gran Rubina Business Park, Lantai 22C
Komp. Rasuna Epicentrum
Jl. HR. Rasuna Said, Jakarta 12940
Ph. +62 21 837 00 555
Fax. +62 21 837 00 335
Email : mak@cbn.net.id

FACTORY
Jl. Tanjungtirta 34, Tirtomartani
Kalasan Km13, Yogyakarta - Indonesia
Ph. +62 274 496 393, 497 069
Fax. +62 274 496 226

www.mak-techno.com



Distributed by :
PT. ENSEVAL MEDIKA PRIMA

Head Office :
Gedung Enseval 2
Jl. Pulo Lentut No. 10 Kawasan Industri Pulo Gadung
Jakarta Timur - Indonesia

Branch :
Jakarta 1, Jakarta 2, Pejaten, Bekasi, Tangerang, Bogor, Bandung, Tasikmalaya, Cirebon,
Tegal, Purwokerto, Semarang, Solo, Yogyakarta, Surabaya 1, Surabaya 2, Malang, Kediri,
Jember, Denpasar, Mataram, Kupang, Makasar, Palu, Manado, Jayapura, Balikpapan,
Samarinda, Banjarmasin, Pontianak, Bandar Lampung, Palembang, Bengkulu, Pangkal
Pinang, Batam, Pekanbaru, Padang, Jambi, Medan, Pematang Siantar, Banda Aceh.

CATALOGUE 06

CATALOGUE 06

PROPERLY ENGINEERED, RELIABLE, QUALITY ACCESSORIES THAT REPRESENT EXCELLENT VALUE

All our products are manufactured using the very latest techniques, and equipment to ensure excellent quality, reliability and value throughout our range of products and their associated accessories.

ENGINEERING

To ensure our products consistently exceed your expectation, Mak invests substantial amounts of capital into research and design each year. Our engineering team utilises the latest CAD CAM modeling systems and is supported by subcontract companies and universities for special projects like deflection, strength and safety testing.



MANUFACTURING

Mak continues to maintain its position as an innovator in the industry by utilising the most modern, state of the art fabrication equipment and machinery. We exceed today's requirements for more complex designs which are the most advanced, Computer Numerically Controlled (CNC) metal fabrication facilities in Indonesia. This ensures manufacturing processes maintain maximum accuracy through the entire production process and guarantees the finished product quality. Our production of components is equipped with CNC, Punching, Milling, Turning and Tube Bending machine, and other workstations which support this production such as the tools making (mold, dies, jigs and fixtures).

TRADING

Mak products are sold & serviced via an extensive network of authorized distributors throughout Indonesia & Overseas. All Mak employees are dedicated enthusiasts and have a clear understanding of the high quality functionality and durability requirements that our customers expect from the equipment we manufacture, Mak Distributors are well trained in accessories selection, fitting techniques and technical services to ensure your experience with us is enjoyable and cost effective. All products manufactured by us carry has a minimum of one year warranty, nationwide.

INTRODUCTION

Yogyakarta, has many industries. Starting from small industries to very large industries. One of them is PT. Mega Andalan Kalasan. Mega Andalan Kalasan (MAK) focuses on the hospital supplies market. The company, which is located in Sleman, Yogyakarta, Indonesia, focuses on the production of hospital supplies and equipment, starting from the patients bed to a wide range of small to large medical equipment.

Today, Mega Andalan Kalasan has become the market leader in Indonesia, especially for hospital equipment. Mega Andalan Kalasan is widely known as the company that offers the largest range of equipment with the highest quality in it's field.

Over the years, Mega Andalan Kalasan has significantly invested in advanced manufacturing technology. On one hand the company is supported by creative, skilled and dedicated employees. Furthermore, all MAK employees are well trained and have longterm job experience. Mega Andalan Kalasan, also provides cutting-edge facilities to support and provide the best for every product released.

The company founder, Mr. Buntoro recognized the need for better quality and more affordable priced Hospital Beds and equipment to help increase the healthcare standards in Indonesia. We are proud to say that we have succeeded in this.

The employees, master and continuously improve their skills. This is a must in order for MAK to produce the best product continuously. Mega Andalan Kalasan has a vision and mission that aims to create the very best equipment in Indonesia and to compete worldwide. Mega Andalan Kalasan runs a manufacturing concept which is in full compliance with ISO 9001 standard and which is certified by TUV NORD CERT GmbH .

MAK PHILOSOPHY TOWARDS SAFETY AND COMPLIANCE

MECHANICAL SAFETY

MAK products have been tested to the applicable clauses within IEC60601-2-38. This involves the even loading of our products to 21/2 times there safe working load for a period of not less than 1 hour. All products passed without failure.

Our products have a high working load as standard but also lift the stated weight from there lowest to highest height in a controlled manner.

ELECTRICAL SAFETY

All MAK's Medical Products Comply to IEC 60601-1 safety for medical Electrical equipment as well as meeting the requirements of EMC to the standard of EN 60601-1-2:2000- Directive 2007/47/EC.

All actuation and control used on our products are marked with the UL mark, demonstrating there compliance.

CE MARKING

MAK's products comply with the essential requirement in Annex 1 of EC directive 93/42/EC

All products are serial numbered for traceability. A technical file is recorded for all applicable products.

FLAMMABILITY

The upholstered sections of all our products are manufactured requirements of BS7176:1995, BE EN 1921-1, BS 5852:1990.

In additional all our upholstered sections are mounted on Treated Plywood. We do not use highly inflammable Chipboard or MDF in our manufacture.



CERTIFICATE




EC REP MDSS GmbH
Schiffgraben 41,
D-30175 Hannover, Germany



MAK THE CREDIBLE ALTERNATIVE

Mak's outstanding Commitment to product quality, customer satisfaction and expectation means our products consistently exceed market expectations. We use a zinc phosphate as a base for our powder coated products to reduce bacterial and fungal growth and to increase life span. As our commitment to environmental issues we use the very latest robotic plant filtering all waste and by products before release into atmosphere. This technology also ensure consistent application for greater durability on complex parts.



Powder coating of our none stainless steel products ensure resistance to scratches, infection growth and chemicals thus making repeat rigorous cleaning of products hassle free. Salt water spray test have proven durability, resistance to corrosion and a prolonged life span with fresh and attractive colours.

Mak uses high quality fully traceable materials throughout its manufacturing process to ensure compliance with quality standards of most regions of the world including Medical devices Directive, General device nomenclature FDA Etc. Due to this commitment we operate through quality standards EN 60601-1, 9001,14001, 13485 and 18001 and hence are able to certify our products.

These innovations have been brought about by worldwide and proven testing of Mak and similar products used in a clinical environment.



EFFICIENT & RELIABLE AFTER SALES SERVICE

Our manufacturer methods have insured excellent repeatability of products to reduce down time and maximise use. MAK confidence in its products translates into a comprehensive parts and labour warranty.



BY PRODUCT CATEGORY

BED SERIES

• Comfort Bed	11
• Classic bed	19
• Economic Bed	21
• Supramak Bed	27
• Electric ICU-ICCU Bed	31
• Manual Supramak Bed	33
• Manual ICU-ICCU Bed	37
• Baby Bed	39
• Children Bed	41
• Electric Homecare Bed	43
• Manual Crank Sotamak Bed	47
• Hydraulic Sotamak Bed	49
• Electric Sotamak Bed	51
• Electric ICU-ICCU Sotamak Bed	53

ROOM ACCESSORIES

• Bedside Cabinet	69
• Overbed Table	72
• TV / Refrigerator Shelves	73
• Room Divider	73
• Infuse Stand	73
• Overbed Lamp	74
• Mattress Series	74

CLINICAL EQUIPMENT

• Manual Examination Table	77
• Manual Gyn-Examination Table	77
• Electric Examination Table	78
• Electric Gynaecolog Chair	79
• Multi Functional Chair	80
• Emergency Trolley	81
• Blood Donor Chairs	82
• Examination Stool	82
• Foot Step	82
• 2 Section Elegance Couch	83
• 3 Section Elegance Couch	85
• Elegance Changing Table	87
• Gyn Examination Table	89

SURGICAL EQUIPMENT

• Manual Operating Table	91
• Electric Operating Table	93
• Electric Gynaecolog Chair	97
• Instrument Trolley	99
• Dressing Trolley	99
• Bowl Stand	100
• Mayo Stand	100

TRANSFER SOLUTIONS

• Folding Stretcher	103
• Mobile Stretchers	103
• Emergency Stretchers	104
• Multi Purpose Stretcher	105
• Transporting Patient	106
• Emergency Mobile Stretcher	106
• Transferring Patient	107
• Mortuary Carriage	109
• Commode Chair	109
• Wheel Chairs	110

WARD SUPPORT SOLUTIONS

• Food Trolley	113
• Laundry Trolley	114
• Linen Hamper Carriage	114
• Cleaner Trolley	115
• Medicine Trolley	115
• Urinal & Bedpan Carriage	115
• Anesthesia Trolley	116
• Medical Report Trolley	116
• Instrument Cabinet	117
• Medicine Cabinet	117
• Locker	118

WAITING ROOM SOLUTIONS

• Folding Bed	121
• Sofa Bed	122
• Waiting Chairs	123
• Modern Chairs	125
• Modern Tables	126

The information contained in this catalogue is correct at the time of printing. mak Corporation Limited reserves the right to alter any specification and to alter the range of product stock without notice. Always consult our marketing department or our mak authorized distributor for the latest information on product and specifications.

The dimensions listed in this Catalogue offer tolerance 15mm. All measurements and performance perimeters are based on millimeter.

Copyright Warning : This catalogue is the subject of Copyright and unauthorized copying of any part is prohibited. Copyright @ 1988-2008 mak Corporation Limited. Additionally, certain products which shown in this catalogue have been protected under trade mark, design and patent



COMFORT SERIES

All MAK beds in this Series are manufactured for the prime purpose of Patient Positioning and Comfort.

All our Comfort beds come complete with drop down side rails and I.V. Pole.

Hygiene control is considered in our process of adding a zinc phosphate base to all powder coated surfaces.

CONTENT

Comfort Bed S	11
Comfort Bed C	13
Comfort Bed CM	15

SPECIFICATION

Construction	: High quality steel sections, and sheet construction utilising the Latest manufacturing technique throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head & Foot End Panel Positions	: Detachable wooden panel. Back raise inclination 0 - 70°. Knee raise inclination 0-40° (31803S & 31804S). Mattress platform elevation 730(Hi) - 560(Lo)mm (31802S & 31804S).
Castor	: 5" swivel lock castors, two with brakes.
Coating	: Epoxy powder coating.
Max Load	: 160 Kg.
Net Weight	: Approx. - 31801 S : 88 Kg. - 31802 S : 90 Kg. - 31803 S : 92 Kg. - 31804 S : 95 Kg.
Overall Dimension	: Approx. - 31801 S : (L) 2215 x (W) 900 x (H) 905 mm. - 31802 S : (L) 2215 x (W) 900 x (H) 845 - 1015 mm. - 31803 S : (L) 2215 x (W) 900 x (H) 905 mm. - 31804 S : (L) 2215 x (W) 900 x (H) 845 - 1015 mm.
Notes	: Upgradable position (Knee raise, Mattress platform Hi-Lo).



5" Swivel Castor




Crank Driven



Wooden Panel


31801 S

BACK RAISE TYPE




31802 S

BACK RAISE, HI-LO




31803 S

FOWLER TYPE




31804 S

FOWLER HI-LO TYPE







31801 C
BACK RAISE TYPE



31802 C
BACK RAISE, HI-LO



31803 C
FOWLER TYPE



SPECIFICATION

Construction	: High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head & Foot End Panel	: Detachable wooden panel.
Side guard	: Folding, automatic locking stainless steel sections side guard.
Positions	: Back raise inclination 0 - 70°. Knee raise inclination 0-40° (31803C & 31804C). Mattress platform elevation 730(Hi)-560(Lo)mm (31802C & 31804C).
I.V Pole	: Stainless steel sections- adjustable. Can be located in two different positions.
Castor	: 5" swivel lock castors, two with brakes.
Coating	: Epoxy powder coating.
Max Load	: 160 Kg.
Net Weight	: Approx. - 31801 C : 96 Kg. - 31802 C : 98 Kg. - 31803 C : 100 Kg. - 31804 C : 103 Kg.
Overall Dimension	: Approx. - 31801 C : (L) 2215 x (W) 1040 x (H) 905 mm. - 31802 C : (L) 2215 x (W) 1040 x (H) 845 - 1015 mm. - 31803 C : (L) 2215 x (W) 1040 x (H) 905 mm. - 31804 C : (L) 2215 x (W) 1040 x (H) 845 - 1015 mm.
Notes	: Upgradable position (Knee raise, Mattress platform Hi-Lo).



4 Hook IV. Pole




Crank Driven



Stainless Steel Side Guard




31804 C
FOWLER HI-LO TYPE







31801 CM
BACK RAISE TYPE



31802 CM
BACK RAISE, HI-LO



31803 CM
FOWLER TYPE



SPECIFICATION

Construction	: High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head & Foot End Panel	: Detachable wooden panel, with stainless steel frame.
Side guard	: Folding, automatic locking stainless steel sections side guard.
Positions	: Back raise inclination 0-70°. Knee raise inclination 0-40°. (31803 CM & 31804 CM). Mattress platform elevation 730(Hi) - 550(Lo) mm. (31802 CM & 31804 CM).
I.V Pole	: Stainless steel sections- adjustable. Can be located in two different positions.
Castor	: 5" swivel lock castors, two with brakes.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. - 31801 CM : 102 Kg. - 31802 CM : 104 Kg. - 31803 CM : 107 Kg. - 31804 CM : 109 Kg.
Overall Dimension	: Approx. - 31801 CM : (L) 2215 x (W) 1040 x (H) 1010 mm. - 31802 CM : (L) 2215 x (W) 1040 x (H) 940 - 1120 mm. - 31803 CM : (L) 2215 x (W) 1040 x (H) 1010 mm. - 31804 CM : (L) 2215 x (W) 1040 x (H) 940 - 1120 mm.
Notes	: Upgradable position (Knee raise, Mattress platform Hi-Lo).



4 Hook IV. Pole




Stainless Steel Side Guard



Head and Foot Panel



31804 CM
FOWLER HI-LO TYPE





ECONOMIC CLASSIC SERIES

MAK classic beds offer a range of patient positioning platforms on a fixed height base. Side rails and IV stands are offered as standard equipment on some of the range. powder coated surfaces.

All beds in this range are self-assembly. Various patient positioning facilities are offered are dependant on model chosen. Side guards / IV pole are offered as standard equipment on certain models

Hygiene control is considered in our process of adding a zinc phosphate base to all powder coated surfaces.

CONTENT

Classic Bed	19
Economic Bed	21
Economic Bed	23

33102
WITH BACK RAISE




33103
WITH SIDE GUARD



33104
WITH BACK RAISE



33105
WITH SIDE GUARD




SPECIFICATION

Construction	: High quality steel sections, and sheet construction utilising the latest manufacturing techniques.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head & Foot End Panel	: Detachable steel sections panel (33104 & 33105).
Side guard	: Folding, automatic locking system, stainless steel sections side guard. (33103, 33105)
Position	: Back raise inclination 0-70°.
I.V. Pole	: Stainless steel sections- adjustable. Can be located in six different positions.
Coating	: Epoxy Powder coating.
Max. load	: 160 Kg.
Net Weight	: Approx. (33102) 83 Kg, (33103) 88 Kg. (33104) 81 Kg, (33105) 86 Kg.
Overall Dimension	: Approx. (L)2195 x (W)1020 x (H)915 mm (33103/5) (L)2195 x (W)900 x (H)915 mm (33102/4)

33106
FOWLER TYPE



33107
FOWLER TYPE
WITH SIDE GUARD




SPECIFICATION

Construction	: High quality steel sections, and sheet construction utilising the latest manufacturing techniques.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head & Foot End Panel	: Detachable, wooden panel with stainless steel frame (33102 & 33103, 33106, 33107).
Side guard	: Folding, automatic locking system, stainless steel sections side guard.
Position	: Back raise inclination 0-70°. Knee raise inclination 0-40° (33107).
I.V. Pole	: Stainless steel sections- adjustable. Can be located in six different positions.
Coating	: Epoxy Powder coating.
Max. load	: 160 Kg.
Net Weight	: Approx. (33106) 89 Kg, (33107) 94 Kg.
Overall Dimension	: Approx. (L)2195 x (W)1020 x (H)915 mm (33107) (L)2195 x (W)900 x (H)915 mm (33106)

SPECIFICATION

Construction	: High quality steel sections construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head & Foot End Panel	: Steel sections panel.
Position	: Flat (no Back raise 33001). Back raise inclination 0-70° (33002).
Coating	: Epoxy powder coating.
Packaging	: Knock down system.
Max. Load	: 160 Kg.
Net Weight	: Approx. (33001) 53 Kg, (3300) 58.5 Kg.
Overall Dimension	: Approx. (L) 2100 x (W) 970 x (H) 1000 mm.



33001
FLAT TYPE



33002
WITH BACK RAISE



33003
WITH CASTOR



33004
WITH BACK RAISE




33005
WITH SIDE GUARD



SPECIFICATION

Construction	: High quality steel sections construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head&Foot End Panel	: Steel sections panel.
Side guard	: Folding, steel sections side guard.
Position	: Flat (no Back raise) (33003). Back-raise inclination 0-70° (33004 & 33005).
Castor	: 5" swivel castors, two with brakes.
Coating	: Epoxy powder coating.
Packaging	: Knock down system.
Max. Load	: 160 Kg.
Net Weight	: Approx. (33003) 55 Kg, (33004) 60 Kg. (33005) 71 Kg.
Overall Dimension	: Approx. (L)2060 x (W)900 x (H)910 mm (33003) (L)2080 x (W)900 x (H)910 mm (33004) (L)2080 x (W)1020 x (H)910 mm (33005)





33006
WITH BACK RAISE



33007
WITH CASTOR

SPECIFICATION

Construction	: High quality steel sections (33006 & 33007), High quality stainless steel sections (33008 & 33009) and sheet construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head & Foot End Panel	: Wooden panel with steel frame. (33006 & 33007) Wooden panel with stainless steel frame. (33008 & 33009)
Side Guard	: * Folding, automatic locking steel sections side guard (33006 & 33007). * Folding, automatic locking stainless steel sections side guard (33008 & 33009).
Position	: Back raise inclination 0-70°. Knee raise inclination 0-40° (33009).
I.V. Pole	: Stainless steel sections- adjustable. Can be located in six different positions.
Castor	: 5" castors (two with brakes & swivel lock). 33006 without castor.
Coating	: Epoxy powder coating.
Max. Load	: 150 Kg.
Net Weight	: Approx. (33006) 75.4 Kg, (33007) 75 Kg,



33008
WITH SIDE GUARD STAINLESS STEEL



33009
FOWLER TYPE



1985
900
1000
1020
2080
625



SUPRAMAK SERIES

Full functionality for patient positioning now includes trendelenburg and anti trendelenburg, CPR emergency facility, weighing scale, etc. are also included.

Utilising MAK's injection molding facility has produced a modern functional bed and allows greater customer choice on colours.

Hygiene control is considered in our process of adding a zinc phosphate base to all powder coated surfaces.


CONTENT

Supramak Bed	27
Electric ICU-ICCU Bed	31
Manual Supramak Bed	33
Manual ICU-ICCU Bed	37
Baby Bed	39
Children Bed	41
Electric Homecare Bed	43

SPECIFICATION

- Construction
- : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress Platform
- : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Head & Foot End Panel
- : Detachable ABS panel.
- Side guard
- : Collapsible, one-touch locking system Sideguard.
- Position
- : Using electrical motor 24V DC, Power consumption 220Volt AC, 50Hz max 100W.
Back raise inclination 0 - 70°.
Knee raise inclination 0 - 40°.
Trendelenburg and Anti Trendelenburg inclination 0 - 19° -Gas spring driven (73003).
- I.V Pole
- : Stainless steel sections - adjustable. Can be located in six different positions.
- Castors 73001
- : 5" castor., two with brakes & swivel lock.
- 73002 & 73003
- : 5" Central lock double-wheel castors.
- Coating
- : Epoxy powder coating.
- Max. Load
- : 160 Kg.
- Net Weight
- : Approx. (73001) 125 Kg, (73002) 132 Kg, (73003) 144 Kg.
- Overall Dimension
- : Approx.
- 73001 (L) 2190 x (W) 985 x (H) 715 - 1090 mm.
- 73002 (L) 2190 x (W) 985 x (H) 690 - 1065 mm.
- 73003 (L) 2185 x (W) 985 x (H) 820 - 1080 mm.

*) Optional Color



Central Lock Double Wheel Castor




Trendelenburg Handle




Collapsible Side Guard




73003
ELECTRIC ICU-ICCU SUPRAMAK BED



73001
ELECTRIC SUPRAMAK BED




73002
ELECTRIC SUPRAMAK BED




73002 W
ELECTRIC SUPRAMAK BED
WITH WEIGHING SCALE

SPECIFICATION

- Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress Platform : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Head & Foot End Panel : Detachable ABS panel.
- Side guard : Collapsible, one-touch locking system side guard.
- Positions : Using electrical motor 24V DC.
Power consumption 220Volt AC, 50H max 100W.
Back raise inclination 0 - 70°.
Knee raise inclination 0 - 40°.
Mattress platform elevation 410 (Lo) - 785 (Hi)mm - remote control.
- I.V. Pole : Stainless steel sections - adjustable.
Can be located in six different positions.
- Optional Accessories : - Self Help Pole.
- Urinal Bag, Urinal Pot.
- Castor : 5" Central lock double-wheel castors.
- Max. load : 160 Kg.
- Net Weight : Approx. 140 Kg.
- Overall Dimension: Approx. (L) 2190 x (W) 985 x (H) 750 - 1125 mm.
- *) Optional Color : 

Dimension (mm)



Weighing Scale

- Functions:
- Room Temperature Scale
 - Patient Weighing Scale
- Accuracy (on display) : +/- 2.2 lbs or 0.1 kg
- Tolerance : : 0.2kg of patient weight



Remote Control



Central Lock Double Wheel Castor



Weighing Scale Display

Optional :



X-Ray on Back Raise



Self Help Pole
Mounted on the head or foot end panel



Urinal Bag
Mounted on the left or right side of the bed.



Urinal Pot
Mounted on the left or right side of the bed.

ELECTRIC ICU-ICCU SUPRAMAK BED

SPECIFICATION

Construction	: High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
*) Head & Foot End Panel	: Detachable ABS panel.
Side guard	: Collapsible, one-touch locking aluminum sections Side guard.
Positions	: Using electrical motor 24V DC, Power consumption 220Volt AC, 50Hz max 100W. Back raise inclination 0 - 70°. Knee raise inclination 0 - 40°. (Remote control). Trendelenburg and Anti Trendenlenburg inclination 0-19°. (Gas spring driven).
I.V Pole	: Stainless steel sections - adjustable. Can be located in six different positions.
Castors	: 5" Central lock double-wheel castors.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. (73003WCPR) 153 Kg, (CPR) 147 Kg, (W) 150 Kg.
Overall Dimension	: Approx. (L) 2190 x (W) 985 x (H) 880 - 1140 mm.
*) Optional Color	: <div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div></div>



Central Lock Double Wheel Castor



Trendelenburg Handle




Collapsible Side Guard


73003 WCPR
WITH CPR AND WEIGHING SCALE




Weighing Scale
Functions:
- Room Temperature Scale
- Patient Weighing Scale
Accuracy (on display) : +/- 2.2 lbs or 0.1 kg
Tolerance : 0.2 kg of patient weight



73003 CPR
WITH CPR



73003W
WITH WEIGHING SCALE



MANUAL SUPRAMAK BED

SPECIFICATION

Construction	: High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head & Foot End Panel	: Detachable ABS panel.
Side guard	: Collapsible, one-touch locking aluminum sections side guard.
Position (crank driven)	: Back raise inclination 0 - 70°. Knee raise inclination 0 - 40°. Mattress platform elevation 500(Lo) - 690 (Hi)mm (73004) and 475(Lo) - 665(Hi)mm (73005). - Crank driven.
I.V Pole	: Stainless steel sections - adjustable. Can be located in six different positions.
Castors 73004	: 5" Swivel lock castor, two with brakes.
73005	: 5" Central lock double-wheel castors.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. (73004) 118.5 Kg, (73005) 125 Kg.
Overall Dimension	: Approx. - 73004: (L)2190 x (W)985 x (H)840-1030mm. - 73005: (L)2190 x (W)985 x (H)815-1005mm.

*) Optional Color : 



Collapsible Crank Driven




One Touch Locking Side Guard




Central Lock Double Wheel Castor

73004
MANUAL SUPRAMAK BED




73005
WITH CENTRAL LOCK SYSTEM



MANUAL ECONOMIC SUPRAMAK BED

SPECIFICATION

Construction	: High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
*) Head & Foot End Panel	: Detachable ABS panel with stainless steel frame.
Side guard	: Collapsible, one-touch locking aluminum sections side guard (for 73006, 73007). Folding automatic locking stainless steel section side guard (for 73010)
Position	: Back raise inclination 0 - 70°. Knee raise inclination 0 - 40°. (For 73006, 73010) (Collapsible Crank driven).
I.V Pole	: Stainless steel sections - adjustable. Can be located in six different positions.
Castors	: 5" Swivel lock castor, two with brakes.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. (73006) 91.5 Kg. (73007) 89 Kg. (73010) 94.5 Kg.
Overall Dimension	: Approx. (L) 2190 x (W) 985 x (H) 960 mm.
*) Color Option	: 



Collapsible Side Guard



ABS Panel





Collapsible Crank Driven




73006

**FOWLER TYPE
WITH SIDE GUARD ALUMINUM**




73007

**MANUAL ECONOMIC
SUPRAMAK BED**



73010

**FOWLER TYPE
WITH SIDE GUARD STAINLESS STEEL**




31810
MANUAL ICU BED



SPECIFICATION

Construction	: High quality steel sections and sheet construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head & Foot End Panel	: Detachable wooden panel, with stainless steel frame.
Side guard	: Folding, automatic locking stainless steel sections side guard.
Positions	: Back raise inclination 0 - 70°. Knee raise inclination 0 - 40°. Mattress platform elevation 610(Lo) -820(Hi) mm. Trendelenburg and Anti Trendelenburg inclination -7° to -10° - crank driven.
I.V. Pole	: Stainless steel sections-adjustable. Can be located in two different positions.
Castor	: 5" swivel lock castor, two with brakes.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. 120 Kg.
Overall Dimension	: Approx. (L) 2215 x (W) 1035 x (H) 1010 - 1220 mm.



73003 MH
MANUAL HYDRAULIC
SUPRAMAK ICU-ICCU BED



Hydraulic Actuator Pedal




Trendelenburg Handle




Hydraulic Actuator Driven

SPECIFICATION


Construction	: High quality steel sections and sheet construction utilising the latest manufacturing techniques throughout.
Mattress	: Manufactured from phosphate coated perforated Platform steel sheet with mattress locators to sides and ends.
*) Head & Foot End Panel	: Detachable ABS panel with stainless steel frame.
Side guard	: Collapsible, one-touch locking system aluminum sections side guard.
Positions	: Back raise inclination 0 - 70°. Knee raise inclination 0 - 40°. Mattress platform elevation 490(Lo) -750(Hi) mm. Hydraulic actuator driven. Anti Trendelenburg inclination -19° to -19°. Gas spring driven.
I.V. Pole	: Stainless steel sections-adjustable. Can be located in six different positions.
Castor	: 5" Central lock Double wheel castor.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. 145 Kg.
Overall Dimension	: Approx. (L) 2180 x (W) 985 x (H) 820 - 1080 mm.




*) Optional Color head and Panel :




33608
BABY BASKET, STEEL




33610
BABY BASKET, STAINLESS STEEL



33609
BABY BASKET, STAINLESS STEEL



33611
BABY BASKET, STAINLESS STEEL



With hygiene control the most important consideration in manufacture MAK uses only the finest material available. Infection control is considered in our process of adding a zinc phosphate base to all powder coated surfaces.

SPECIFICATION

- Main Frame` : Manufactured from stainless steel sections, and sheet throughout. (33608) Manufactured from steel sections throughout.
- Basket : Detachable, acrylic transparent basket. (33608) Manufactured from steel sections, and wire mesh throughout.
- Position : Trendelenburg & Anti Trendelenburg, inclination 15° to -15°, -gas spring driven. (33610). -rack system.(33611). (33609;33608)Normal, trendelenburg & anti trendelenburg position-manual.
- Castors : 2" swivel castors.
- Coating (33608) : Epoxy Powder coating.
- Max. Load : Max Load 30 Kg.
- Net Weight : Approx. (33608) 12 Kg, (33609) 10.5 Kg, (33610) 14 Kg, (33611) 15 Kg.
- Overall Dimension: Approx.
- 33608: (L) 720 x (W) 450 x (H) 850 mm.
- 33609: (L) 700 x (W) 440 x (H) 900 mm.
- 33610: (L) 770 x (W) 625 x (H) 960 mm.
- 33611: (L) 770 x (W) 625 x (H) 960 mm.
- Optional : Baby Mattress.

33610 & 33611



33608 & 33609

Standard positions for BABY Basket



Normal Position



Trendelenburg Position



Anti Trendelenburg Position

SPECIFICATION

Construction	: Manufactured from steel sections throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head & Foot End Panel	: Steel sections.
Side guard	: Sliding, steel sections side guard.
Position	: Back raise inclination 0-70° (for 33605C). Flat-no back raise inclination (for 33605B).
IV. Pole	: Stainless steel sections - adjustable. Can be located in four different positions.
Castors	: 5" swivel lock castors, two with brakes.
Coating	: Epoxy Powder coating.
Packaging	: Knock down system.
Max. Load	: 120 Kg.
Net Weight	: Approx. (33605 B) 53 Kg, (33605 C) 60 Kg.
Overall Dimension	: Approx. (L) 1770 x (W) 835 x (H) 1390 mm.

33605 B
CHILDREN BED, STEEL



33605 C
CHILDREN BED, STEEL



SPECIFICATION

Construction	: Manufactured from stainless steel sections throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head & Foot End Panel	: Stainless steel sections.
Side guard	: Sliding, stainless steel sections side guard.
Position	: Back raise inclination 0-70° (33606C). Flat-no back-raise inclination (33606B).
IV. Pole	: Stainless steel sections - adjustable. Can be located in four different positions.
Castors	: 5" swivel lock castors, two with brakes.
Packaging	: Knock-down system
Max. Load	: 120 Kg.
Net Weight	: Approx. (33606 B) 47 Kg, (33606 C) 51.5 Kg.
Overall Dimension	: Approx. (L) 1760 x (W) 820 x (H) 1340 mm.

All Beds in the MAK Peadiatric Range
All Manufactured in the Classic Design
to give a long trouble free life

33606 B
CHILDREN BED, STAINLESS STEEL



33606 C
CHILDREN BED, STAINLESS STEEL






Our Home care bed, uses quality wooden section but still maintains full patient positioning while remaining elegant and pleasing to the eye.

81001
ELECTRIC HOMECARE BED



SPECIFICATION

- Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress Platform : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Head & Foot End Panel : Detachable wooden panel.
- Side guard : Collapsible, one-touch locking aluminum sections side guard.
- Position : Using electrical motor 24V. DC (remote control).
 Power consumption 220Volt AC, 50Hz max 100W.
 Back raise inclination 0 - 70°.
- Knee raise inclination 0 - 40°.
- Mattress platform elevation. 350(Lo) - 695(Hi)mm.
- I.V Pole : Stainless steel sections - adjustable. Can be located in six different positions.
- Castors : 5" Central lock double-wheel castors.
- Coating : Epoxy powder coating.
- Max. Load : 160 Kg.
- Net Weight : Approx. 145 Kg.
- Overall Dimension : Approx. (L) 2150 x (W) 1050 x (H) 805 - 1150 mm.





SOTAMAK SERIES

SOTA : State Of The Art, ICU ICCU Bed with all features needed for your recovering patient.

The SOTA utilises all our technical knowledge to give you the most complete package

CONTENT

Manual Crank Sotamak	47
Hydraulic Sotamak	49
Electric Sotamak	51
Electric ICU-ICCU Sotamak	53

77001
MANUAL CRANK SOTAMAK BED



Positions adjustable manually by collapsible crank



Full ABS Head and Foot End Panel with Multi colored Bumper




Self Locking System



ABS plastic side guard with independent folding and interlocking system

SPECIFICATION

Construction	: High quality steel section and sheet construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head&Foot End Panel	: Detachable ABS panel.
Side guard	: Folding, interlocking ABS side guard.
Positions	: Back raise inclination 0 - 75°. Knee raise inclination 0 - 35°. Mattress platform elevation 470(Lo) - 660(Hi) mm. - Collapsible crank driven.
I.V. pole	: Stainless steel sections-adjustable. Can be located in six different positions.
Castor	: 5" central lock double-wheel castor.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. 150 Kg.
Overall Dimension	: Approx. (L) 2155 x (W) 1070 x (H) 840 - 1030 mm.



77002
MANUAL CRANK HYDRAULIC SOTAMAK BED



Full ABS Head and Foot End Panel with Multi colored Bumper



Self Locking System




ABS plastic side guard with independent folding and interlocking system

SPECIFICATION

Construction	: High quality steel section, and sheet construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
Head&Foot End Panel	: Detachable ABS panel.
Side guard	: Folding, interlocking ABS side guard.
Positions	: - Back raise elevation 0 - 75°. (operated by collapsible crank). - Knee raise elevation 0 - 35°. (operated by collapsible crank). - Mattress platform Hi-Lo 510 - 750 mm. (operated by Hydraulic Actuator).
I.V. Pole	: Stainless steel sections-adjustable. Can be located in six different positions.
Castor	: 5" central lock double-wheel castor.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. 161 Kg.
Overall Dimension	: Approx. (L) 2155 x (W) 1070 x (H) 880 - 1120 mm.




Positions adjustable manually by Hydraulic Actuator



77011
HYDRAULIC SOTAMAK BED

- Construction : High quality steel section, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress Platform : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Head&Foot End Panel : Detachable ABS panel.
- Side guard : ABS side guard with independent folding and interlocking system.
- Positions : Back raise inclination 0 - 75°. Knee raise inclination 0 - 35°. Gas spring driven. Mattress platform elevation 510(Lo) -750(Hi) mm. Hydraulic actuator driven.
- I.V. Pole : Stainless steel sections-adjustable. Can be located in six different positions.
- Castor : 5" central lock double-wheel castor.
- Coating : Epoxy powder coating.
- Max. Load : 160 Kg.
- Net Weight : Approx. 162 Kg.
- Overall Dimension : Approx. (L) 2155 x (W) 1070 x (H) 880 - 1120 mm.



Positions adjustable manually by Hydraulic Actuator and Spring Gas



Full ABS Head and Foot End Panel with Multi colored Bumper




Self Locking System




ABS side guard with independent folding and interlocking system


77021
ELECTRIC SOTAMAK BED



77022
WITH CPR



77023
WITH WEIGHING SCALE



77024
WITH CPR AND WEIGHING SCALE



- Construction : High quality steel section, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress Platform : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Head&Foot End Panel : Detachable ABS panel.
- Side guard : ABS side guard with independent folding and interlocking system.
- Positions : Using electrical motor 24V DC, Power consumption 220V AC, 50Hz, max 100W.
Back raise inclination 0 - 75°.
Knee raise inclination 0 - 35°.
Mattress platform elevation :
510(Lo) -750(Hi) mm (77021 & 77022)
570(Lo) -810(Hi) mm (77023 & 77024)
CPR position- CPR Handle. (for 77022, 77024).
- Castor : 5" central lock double-wheel castor.
- I.V. Pole : Stainless steel sections-adjustable.
Can be located in six different positions.
- Coating : Epoxy powder coating.
- Max. Load : 160 Kg.
- Net Weight : Approx. (77021) 160 Kg, (77022) 162 Kg (77023) 163 Kg, (77024) 165 Kg.
- Overall Dimension : Approx.
(L) 2155 x (W) 1070 x (H) 880 - 1120 mm (77021 & 77022)
(L) 2155 x (W) 1070 x (H) 940 - 1180 mm (77023 & 77024)



Weighing Scale Functions :
- Room Temperature Scale
- Patient Weighing Scale
Accuracy (on display):
+/- 2.2 lbs or 0.1 kg
Tolerance :
0.2 kg of patient weight



CPR




Full ABS Head and Foot End Panel with Multi colored Bumper




Self Locking System




ABS side guard with independent folding and interlocking system




77031
ELECTRIC ICU-ICCU SOTAMAK BED



77032
WITH CPR



77033
WITH WEIGHING SCALE



77034
WITH CPR AND WEIGHING SCALE



Weighing Scale & Nurse Control Functions :

- Room Temperature Scale
- Patient Weighing Scale

Accuracy (on display):
+/- 2.2 lbs or 0.1 kg

Tolerance :
0.2 kg of patient weight



CPR



Full ABS Head and Foot End Panel with Multi colored Bumper




Self Locking System




ABS side guard with independent folding and interlocking system

- Construction : High quality steel section, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress Platform : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Head&Foot End Panel : Detachable ABS panel.
- Side guard : ABS side guard with independent folding and interlocking system.
- Positions : Using electrical motor 24V DC , Power consumption 220V AC, 50Hz, max 100W.
Back raise inclination 0 - 75°.
Knee raise inclination 0 - 35°.
Mattress platform elevation :
510(Lo) -750(Hi) mm (77031 & 77032)
570(Lo) -810(Hi) mm (77033 & 77034)
CPR position- CPR Handle. (For 77032, 77034)
- Trendelenburg - Anti Trendelenburg inclination 15° to -15°.
(Gas spring driven).
- Castor : 5" central lock double-wheel castor.
- I.V. Pole : Stainless steel sections-adjustable.
Can be located in six different positions.
- Coating : Epoxy powder coating.
- Max. Load : 160 Kg.
- Net Weight : Approx. (77031) 170 Kg, (77032) 172 Kg
(77033) 173 Kg, (77034) 175 Kg.
- Overall Dimension : Approx.
(L) 2155 x (W) 1070 x (H) 880 - 1120 mm (77031 & 77032)
(L) 2155 x (W) 1070 x (H) 940 - 1180 mm (77033 & 77034)



77041
ELECTRIC SOTAMAK BED



77042
WITH CPR



77043
WITH WEIGHING SCALE



- Construction : High quality steel section, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress Platform : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Head&Foot End Panel : Detachable ABS panel.
- Side guard : ABS side guard with independent folding and interlocking system. Fixed keypad controlling bed position system.
- Positions : Using electrical motor 24V DC , Power consumption 220V AC, 50Hz, max 100W.
Back raise inclination 0 - 75°.
Knee raise inclination 0 - 35°.
CPR position- CPR Handle. (For 77042, 77044)
- Castor : 5" central lock double-wheel castor.
- I.V. Pole : Stainless steel sections-adjustable. Can be located in six different positions.
- Coating : Epoxy powder coating
- Max. Load : 160 Kg.
- Net Weight : Approx. (77041) 160 Kg, (77042) 162 Kg, (77043) 163 Kg,
- Overall Dimension : Approx.




Full ABS Head and Foot End Panel with Multi colored Bumper




Self Locking System

- 77041: (L) 2155 x (W) 1070 x (H) 880 - 1120 mm.
- 77042: (L) 2155 x (W) 1070 x (H) 880 - 1120 mm.
- 77043: (L) 2155 x (W) 1070 x (H) 940 - 1180 mm.



77044
ELECTRIC SOTAMAK BED
WITH CPR AND WEIGHING SCALE

- Construction : High quality steel section, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress Platform : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Head & Foot End Panel : Detachable ABS panel.
- Side guard : ABS side guard with independent folding and interlocking system. Fixed keypad controlling bed position system.
- Positions : Using electrical motor 24V DC
Power consumption 220V AC, 50Hz, max 100W.
Back raise inclination 0 - 75°.
Knee raise inclination 0 - 35°.
Mattress platform elevation 570(Lo) - 810(Hi) mm.
CPR position - CPR Handle.
- Castor : 5" central lock double-wheel castor.
- I.V. Pole : Stainless steel sections-adjustable.
Can be located in six different positions.
- Coating : Epoxy powder coating.
- Max. Load : 160 Kg.
- Net Weight : Approx. 165 Kg,
- Overall Dimension : (L) 2155 x (W) 1070 x (H) 940 - 1180 mm.



Weighing Scale & Nurse Control
Functions : - Room Temperature Scale
- Patient Weighing Scale
Accuracy (on display): +/- 2.2 lbs or 0.1 kg
Tolerance : 0,2 kg of patient weight



Full ABS Head and Foot End Panel
with Multi colored Bumper





Self Locking System



ABS side guard with independent folding
and interlocking system
Complete with keypad

77051
ELECTRIC ICU-ICCU SOTAMAK BED




77053
WITH WEIGHING SCALE




Weighing Scale & Nurse Control
Functions :
- Room Temperature Scale
- Patient Weighing Scale
Accuracy (on display):
+/- 2.2 lbs or 0.1 kg
Tolerance :
0.2 kg of patient weight

- Construction : High quality steel section, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress Platform : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Head&Foot End Panel : Detachable ABS panel.
- Side guard : ABS side guard with independent folding and interlocking system. Fixed keypad controlling bed position system.
- Positions : Using electrical motor 24V DC , Power consumption 220V AC, 50Hz, max 100W.
Back raise inclination 0 - 75°.
Knee raise inclination 0 - 35°.
CPR position- CPR Handle.(77052 & 77054).
Trendelenburg - Anti Trendelenburg inclination 15° to - 15° - Gas spring driven.
- Castor : 5" central lock double-wheel castor.
- I.V. Pole : Stainless steel sections-adjustable.
Can be located in six different positions.
- Coating : Epoxy powder coating.
- Max. Load : 160 Kg.
- Net Weight : Approx.(77051) 170 Kg, (77052) 172 Kg, (77053) 173 Kg.
- Overall Dimension : Approx.



77054
ELECTRIC ICU-ICCU SOTAMAK BED
WITH CPR AND WEIGHING SCALE

- Construction : High quality steel section, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress Platform : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Head & Foot End Panel : Detachable ABS panel.
- Side guard : ABS side guard with independent folding and interlocking system.
- Positions : Using electrical motor 24V DC
Power consumption 220V AC, 50Hz, max 100W.
Back-raise inclination 0 - 75°.
Knee-raise inclination 0 - 35°.
Mattress platform elevation 570(Lo) -810(Hi)mm
CPR position- electric single touch button.
Trendelenburg - Anti Trendelenburg inclination 15° to - 15° .- Gas spring driven.
- Castor : 5" central lock double-wheel castor.
- I.V. Pole : Stainless steel sections-adjustable.
Can be located in six different positions.
- Coating : Epoxy powder coating.
- Max. Load : 160 Kg.
- Net Weight : Approx. 175 Kg.
- Overall Dimension : Approx. (L) 2155 x (W) 1070 x (H) 940 - 1180 mm.



Weighing Scale & Nurse Control
Functions :
- Room Temperature Scale
- Patient Weighing Scale
Accuracy (on display):
+/- 2.2 lbs or 0.1 kg
Tolerance : 0.2 kg of patient weight



Full ABS Head and Foot End Panel
with Multi colored Bumper




Self Locking System




ABS side guard with independent folding
and interlocking system
Complete with keypad

78001
ELECTRIC ICU-ICCU SOTAMAK BED
WITH DOUBLE COLUMN



ABS side guard with independent folding and interlocking system
there is a keypad control for Sotamak Bed Electric



Multi colored Bumper
Sideguard and Head and Foot End Panel




SPECIFICATION

- Construction : High quality steel section, and stainless steel construction utilising the latest manufacturing techniques throughout.
- Mattress Platform : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Head and Foot End Panel Side guard : Detachable ABS panel.
- Positions : ABS side guard with independent folding and interlocking system. Fixed keypad controlling bed position system.
- Using electrical motor 24V DC , Power consumption 220Volt AC, 50Hz, max 100W.
- Back raise inclination 0 - 75°.
- Knee raise inclination 0 - 35°.
- Mattress platform elevation 610(Lo) -1010(Hi) mm.
- Trendelenburg - Anti Trendelenburg inclination 18° to -18°.
- CPR. Cardiac, Tilting (14° to -14°) position- electric single touch button.
- I.V. Pole : Stainless steel sections-adjustable.
- Can be located in six different positions.
- Castor : 5" central lock double-wheel castor.
- Coating : Epoxy powder coating.
- Max. Load : 200 Kg.
- Net Weight : Approx. 173 Kg.
- Overall Dimension: Approx. (L) 2155 x (W) 1070 x (H) 980 - 1380 mm.

Full ABS Head and Foot End Panel with Multi colored Bumper



Nightlight
Fowler Position
CPR



Anti Trend/Rev Trend
Lock
Cardiac
Tilting Position
CPR



Double Column



Highest mattress base position
1010mm



Lowest mattress base position
610mm



Anti- Trendelenburg position
up to 18°



Trendelenburg position
(shock position) up to 18°



Backrest can be raised
to approx. 75°



Raised leg position



Sitting position (Cardiac position)



Kneerest can be raised
to approx. 35°


















Tilting position



Tilting position

SOTAMAK BED MATRIX COMPARISON

	CODE	HI-LO	BACKRAISE	KNEERAISE	TRENDEN	NURSE CONTROL	CPR	WEIGHING SCALE	KEYPAD SIDEGUARD	FEATURES
 MANUAL CRANK SOTAMAK BED	77001 77002	CRANK HYDRAULIC	CRANK CRANK	CRANK CRANK	NO NO	NO NO	NO NO	NO NO	NO NO	 COLLAPSIBLE CRANK  CPR HANDLE  HAND SET
 HYDRAULIC SOTAMAK BED	77011	HYDRAULIC	GAS SPRING	GAS SPRING	NO	NO	NO	NO	NO	
 ELECTRIC SOTAMAK BED	77021 77022 77023 77024	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	NO NO NO NO	NO NO NO NO	NO YES NO YES	NO NO YES YES	NO NO NO NO	
 ELECTRIC SOTAMAK BED	77031 77032 77033 77034	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	GAS SPRING GAS SPRING GAS SPRING GAS SPRING	YES YES YES YES	NO YES NO YES	NO NO YES YES	NO NO NO NO	 ABS SIDE GUARD
 ELECTRIC SOTAMAK BED	77041 77042 77043 77044	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	NO NO NO NO	NO NO NO NO	NO YES NO YES	NO NO YES YES	YES YES YES YES	 NURSE CONTROL
 ELECTRIC ICU-ICCU SOTAMAK BED	77051 77052 77053 77054	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	ELECTRIC ELECTRIC ELECTRIC ELECTRIC	GAS SPRING GAS SPRING GAS SPRING GAS SPRING	YES YES YES YES	NO YES NO YES	NO NO YES YES	YES YES YES YES	 NURSE CONTROL & WEIGHING SCALE
 ELECTRIC ICU-ICCU SOTAMAK BED	78001	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	YES	YES	NO	YES	 SELF LOCKING SYSTEM  HYDRAULIC DRIVEN



CONTENT

Bedside Cabinet	69
Overbed Table	72
TV / Refrigerator Shelves	73
Room Divider	73
Infuse Stand	73
Overbed Lamp	74
Mattress Series	74

Special featuring MAK's Double Sided Combined Patient Cabinet and Overbed Table

All MAK furnishing and accessories are manufactured to complement each other, for multi product installation.

Hygiene control is considered in our process of adding a zinc phosphate base to all powder coating surfaces.

SPECIFICATION



	31811	31814	31815	31816	31817	73032
Construction	Manufactured using the latest techniques from medical grade steel sheet throughout.	Manufactured using the latest techniques from medical grade steel sheet throughout.	Manufactured using the latest techniques from medical grade steel sheet throughout.	Manufactured using the latest techniques from medical grade steel sheet throughout.	Manufactured using the latest techniques from medical grade steel sheet throughout.	Manufactured using the latest techniques from medical grade steel sheet throughout.
Consist Of	<ul style="list-style-type: none">- 1 Drawer- Cupboard;1 shelf- Retractable table- Shoe compartment.	<ul style="list-style-type: none">- 1 Drawer- Cupboard;1 shelf- Retractable table- Shoe compartment- Side cupboard.	<ul style="list-style-type: none">- 1 Drawer- Cupboard;1 shelf- Retractable table- Shoe compartment- Laminated wooden folding table.	<ul style="list-style-type: none">- 1 Drawer- Cupboard;1 shelf- Retractable table- Shoe compartment- Side cupboard- Laminated wooden folding table.	<ul style="list-style-type: none">- 1 Drawer- Cupboard;1 shelf- Shoe compartment.	<ul style="list-style-type: none">- 1 Drawer- Cupboard;1 shelf- Shoe compartment.
Table Top	Laminated wooden table.	Laminated wooden table.	Laminated wooden table.	Laminated wooden table.	Laminated wooden table.	ABS table.
Accessories	Stainless steel rod towel hanger and handle.	Stainless steel rod towel hanger and handle.	Stainless steel rod towel hanger and handle.	Stainless steel rod towel hanger and handle.	Stainless steel rod towel hanger and handle.	Stainless steel rod towel hanger, and ABS handle.
Castors	2" castors.	2" castors.	2" castors.	2" castors.	2" castors.	2" castors.
Coating	Epoxy powder coating.	Epoxy powder coating.	Epoxy powder coating.	Epoxy powder coating.	Epoxy powder coating.	Epoxy powder coating.
Net Weight	Approx. 27,5 Kg.	Approx. 39 Kg.	Approx. 46.5 Kg.	Approx. 49 Kg.	Approx. 26 Kg.	Approx. 30.5 Kg
Max Load	50 Kg.	50 Kg.	50 Kg.	50 Kg.	50 Kg.	50 Kg.
Overall Dimension						

**33032
BEDSIDE CABINET**

CONSTRUCTION

Construction : Manufactured using the latest techniques from medical grade steel sheet throughout.

Consist : Drawer, cupboard, magazine rack, and bottle rack.

Table top : Laminated wooden table.

Castors : 2" swivel castors.

Accessories : Stainless steel rod handles.

Coating : Epoxy powder coating.

Max. Load : 50 kg.

Net Weight : Approx. 37 Kg.

Dimension : Approx. (L) 465 x (W) 420 x (H) 885 mm.



**73033
OVERBED TABLE**

CONSTRUCTION

Construction : Manufactured using the latest manufacturing techniques from steel throughout.

Stand : Manufactured from aluminum profile.

Table top : Laminated wooden table.

Hi - Lo : Adjustable- gas spring mechanism.

Castors : 2" castors.

Coating : Epoxy powder coating.

Max. Load : 30 Kg (10 Kg rear table).

Packaging : Knock-Down System.

Net weight : Approx. 14.5 Kg.

Dimension : Approx. (L) 810 x (W) 500 x (H) 810 - 1075mm.



**33031
BEDSIDE CABINET**

CONSTRUCTION

Construction : Manufactured using the latest techniques from medical grade steel sheet throughout.

Consist : Drawer and compartment.

Table top : Laminated wooden table.

Castors : 2" swivel castors.

Coating : Epoxy powder coating

Max. Load : 50 Kg.

Net Weight : Approx. 28 Kg.

Dimension : Approx. (L) 470 x (W) 460 x (H) 830mm.



**31812
OVERBED TABLE**

CONSTRUCTION

Construction : Manufactured using the latest manufacturing techniques from steel throughout.

Table top : Laminated wooden table.

Hi - Lo : Adjustable-lock pin system

Castors : 2" swivel castors.

Coating : Epoxy powder coating.

Max. Load : 30 Kg (10 Kg rear table).

Packaging : Knock-Down System (31812K).

Net Weight : Approx. 12 Kg.

Dimension : Approx. (L) 685 x (W) 510 x (H) 840 - 1065 mm.



**31824
BEDSIDE CABINET**

CONSTRUCTION

Construction : Manufactured using the latest techniques from medical grade steel sheet throughout.

Table Top : ABS table.

Consist : Cupboard, ABS retractable table, shoe compartment, stainless steel rod towel hanger.

Castors : 2" swivel castors.

Coating : Epoxy powder coating.

Max. Load : 50 Kg.

Net Weight : Approx. 24.5 Kg.

Dimension : Approx. (L) 475 x (W) 460 x (H) 970 mm.



**73031
OVERBED TABLE**

CONSTRUCTION

Construction : Manufactured using the latest manufacturing techniques from steel throughout.

Table top : Laminated wooden table.

Hi - Lo : Adjustable-gas spring mechanism.

Castors : 2" swivel castors.

Coating : Epoxy powder coating.

Max. Load : 30 Kg (10 Kg rear table).

Packaging : Knock-Down System (73031K).

Net Weight : Approx. 15 Kg.

Dimension : Approx. (L) 685 x (W) 510 x (H) 785 - 1060mm.





31823
TV / REFRIGERATOR SHELVES

SPECIFICATION

Construction : High quality stainless steel sections, construction utilising the latest manufacturing techniques throughout.


Shelf : 4 Shelves : 1st TV shelf, 2nd Refrigerator shelf, 3rd magazines or books shelf, last luggage.

Castors : 2" castors.

Max. Load : 20 Kg. (each shelf).

Net Weight : Approx. 20 Kg.

Overall Dimension : Approx. (L) x 635 x (W) 600 x (H) 1465 mm.




36111
BABY

- Manufactured in line with Medical Devices directive using high quality Anti-Bacterial,Anti-Fungal rubber.



36112 B
CHILD

- Manufactured in line with Medical Devices directive using high quality Anti-Bacterial,Anti-Fungal rubber.



36113
ADULT

- Manufactured in line with Medical Devices directive using high quality Anti-Bacterial,Anti-Fungal rubber.



36102
ROOM DIVIDER

SPECIFICATION

Main Frame : High quality stainless steel sections, construction utilising the latest manufacturing techniques throughout.


Screen : Detachable cloth.

Position : Foldable.

Castor : 2" castors.

Net : Approx. 8 Kg.

Overall Dimension : Approx. (L) 880 x (W) 440 x (H) 1740 mm.



31831
OVERBED LAMP

Construction : High quality aluminum profile (extrusion) construction utilising the latest manufacturing techniques throughout.

Consist : Daylight lamp, reading lamp, night Lamp.

Coating : Epoxy powder coating.

Net Weight : Approx. 6.5 Kg.

Overall Dimension : Approx. (L) 1000 x (W) 154 x (H) 92 mm.



36101
I. V. STAND

Upper Stand : Stainless steel sections & 2 hooks -adjustable..

Lower Stand : Steel sections.

Coating : Epoxy powder coating.

Castors : 2" swivel castors.

Net Weight : Approx. 5 Kg.

Overall Dimension : Approx. (L) 400 x (W) 230 x (H) 1300 - 2100 mm.



36103
I. V. STAND

Upper Stand : Stainless steel sections & 4 hooks -Adjustable.


Lower Stand : Stainless steel sections & aluminum cast.

Castors : 2" swivel castors.

Packaging : Knock-Down System.

Net Weight : Approx. 4.25 Kg.

Overall Dimension : Approx. (L) 450 x (W) 230 x (H) 1300 - 2100 mm.





CLINICAL SURGICAL EQUIPMENT

All MAK operating surfaces bring fully functioning high quality for exceptional value.

Supporting product and trolleys are designed to complement this.

Infection control is ensured by the use of medical grade stainless steel throughout

CONTENT


	CLINICAL
Manual Examination Table	77
Manual Gyn-Examination Table	77
Electric Examination Table	78
Electric Gynaecology Chair	79
Multi Functional Chair	80
Emergency Trolley	81
Blood Donor Chair	82
Examination Stool	82
Foot Step	82
Premium Couch Changing Table	83
Premium Couch 2-Sections	83
Premium Couch 3-Sections	84
Podiatry	84
Neurology	85
Premium Plus (Solo) 3-Sections	85

SURGICAL

Premium Plus Electra 2-Sections 2 Motors	86
Premium Plus Electra 3-Sections 2 Motors	86
Premium Plus Electra 3-Sections 3 Motors	87
Premium Mak Pro 2-Sections	87
Premium Mak Pro 3-Sections	88
Gyn Examination Table	89
Manual Operating Table	91
Electric Operating Table	93
Electric Gynaecology Chair	97
Instrument Trolley	99
Dressing Trolley	99
Bowl Stand	100
Mayo Stand	100




34104 M
MANUAL EXAMINATION TABLE


- Main Frame : High quality steel sections construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Anti-Fungal, Fire retardant vinyl.
- Back-raise : Inclination -20° to 40°-gas spring driven
- Hi-Lo : Adjustable-locking pin system.
- Coating : Epoxy powder coating
- Max. Load : 150 Kg.
- Net Weight : Approx. 53 Kg.
- Overall Dimension : Approx. (L) 2040 x (W) 780 x (H) 590 - 890 mm.
- Color Option :  1 2 3 4 5 6


34105
MANUAL EXAMINATION TABLE

- Construction : High quality stainless steel section construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Anti-Fungal, Fire retardant vinyl.
- Back raise : Adjustable-telescopic rack, inclination 0° - 45°.
- Packaging : Knockdown system.
- Max. Load : 100 Kg.
- Net Weight : Approx. 20.5 Kg.
- Overall Dimension : Approx. (L) 1860 x (W) 620 x (H) 750mm.



34104 E
ELECTRIC EXAMINATION TABLE

- Main Frame : High quality steel sections construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Anti-Fungal, Fire retardant vinyl.
- Back-raise : Inclination -20° to 40°-gas spring driven.
- Hi-Lo : Adjustable, using foot switch electrical motor 24V DC, Power consumption 220V AC, 50Hz, max 100W.
- Coating : Epoxy powder coating.
- Max. Load : 150 Kg.
- Net Weight : Approx. 57 Kg.
- Overall Dimension : Approx. (L) 2040 x (W) 780 x (H) 590 - 890 mm.
- Color Option :  1 2 3 4 5 6



34101
EXAMINATION TABLE



34102
GYN EXAMINATION TABLE




34103
GYN EXAMINATION TABLE



SPECIFICATION


- Main Frame : High quality stainless steel sections construction utilising the latest Manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Anti-Fungal, Fire retardant vinyl.
- Back-raise : Inclination -0° to 60°- rack mechanism.
- Calf support: Adjustable, ABS and vinyl.
- Max. Load : 170 Kg.
- Net Weight : Approx. (34101) 33 kg, (34102) 53 kg, (34103) 63 Kg.
- Overall Dimension : Approx. (34101) (L) 1900 x (W) 800 x (H) 710 mm.
(34102) (L) 2075 x (W) 1030 x (H) 1000 mm.
(34103) (L) 1950 x (W) 1030 x (H) 770 mm.



34107
ELECTRIC GYNAECOLOG CHAIR

SPECIFICATION

- Construction : High quality steel section construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Bacterial, Anti-Fungal, Fire retardant vinyl.
- Positions : Using electrical motor 24V DC, Power consumption: 220 Volt AC 50 Hz, Max 100W.
Upper back raise inclination 0°-40° -gas spring.
Middle back raise inclination 0°-40° -electrical motor.
Bottom raise inclination 0°-40° -electrical motor.
Hi-Lo elevation 930(Hi)mm-630(Lo)mm-electrical motor.
- Accessories : Adjustable calf support made of ABS & Vinyl, drawer, anesthetic screen frame, hand grip.
- Coating : Epoxy powder coating.
- Max. Load : 160 Kg.
- Net Weight : Approx. 96.5 Kg.
- Overall Dimension : Approx. (L) 2000 x (W) 1060 x (H) 630 - 930 mm.




31309
MULTI FUNCTIONAL CHAIR
(Transporting Chair; Blood Donor Chair; Hemodialysis Chair)

SPECIFICATION

- Constructions : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- *) Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Bacterial, Anti-Fungal, Fire retardant vinyl.
- Positions : Back raise inclination -10° to 70°.
Knee raise inclination 0° to 80°.
-Gas spring mechanism.
Hi - Lo , manual by hydraulic actuator.
- Castors : 5" swivel lock castor - two with brakes.
- Coating : Epoxy powder coating.
- Accessories : I.V. Pole, Basket, Arm rest.
- Max. Load : 160 Kg.
- Net Weight : Approx. 63 Kg.
- Overall Dimension: Approx. (L) 1090 x (W) 720 x (H) 600 - 850 mm.
- *) Color Option :



Dimensions (mm)



Back raise adjustable by gas spring mechanism, elevation -10° to 70°



Leg Support adjustable by gas spring mechanism, elevation 0° to 80°



Hi - Lo Adjustable manually by hydraulic actuator.



Basket, made of stainless steel rod.



Lo Position



Hi Position



Back raise Position

36603 - EMERGENCY TROLLEY

SPECIFICATION

Construction	Manufactured using the latest manufacturing techniques from medical grade steel sheet, and section throughout.
Sections	3 drawers, special drawer (made of stainless steel sheet) and top tray.
Accessories	-:Stainless steel I.V. Pole, Oxygen cylinder holder, and Electrical terminals. - Breakaway Locking Bar and Cardiac Board. hange on back section for 36603 A
Castor	5" castors+bumpers.
Coating	Epoxy powder coating.
Max. Load	: Overall: 100 Kg.
Net Weight	: Approx. 59 Kg.
Overall Dimension:	Approx. (L) 580 x (W) 550 x (H) 1340 mm.



Also available at surcharge:
With Breakaway Locking Bar

36603 A
Also available at surcharge:
With Breakaway Locking Bar



31306 - BLOOD DONOR CHAIRS

SPECIFICATION

Construction	High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
Upholstery	: Manufactured in line with Medical Devices Directive using high quality Anti-Bacterial, Anti-Fungal, Fire Reterdant vinyl.
Position	Back-raise, inclination 0° - 70°. Leg Support inclination 0 - 90° -Gas spring mechanism.
Arm rest	Adjustable, stainless steel arm rest post.
Coating	Epoxy powder coating.
Net Weight	: Approx. 30 Kg.
Max Load	: 160 Kg.
Overall Dimension :	Approx. (L) 1705 x (W) 680 x (H) 1240 mm.



34151 - EXAMINATION STOOL

SPECIFICATION


Construction	: Manufactured from stainless steel sections throughout.
The Seat	: Anti-fungal, anti-bacterial and Fire Retardant vinyl, laminated foam, and wooden base. Adjustable by revolving the seat.
Castor	: 2" castors.
Net Weight	: Approx. 6 Kg.
Overall Dimension:	Approx. (W) 425 x (H) 600 - 840 mm.



34152 - FOOT STEP

SPECIFICATION


Construction	: Manufactured using the latest manufacturing techniques from medical grade steel sections throughout.
Steps	: Rubber covering, and steel sheet entirely.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. 6.5 Kg.
Overall Dimension:	Approx. (L) 400 x (W) 400 x (H) 435 mm.



34118 PREMIUM COUCH CHANGING TABLE

SPECIFICATION

- Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal, Fire retardant vinyl.
- Positions : Using high-grade electric actuator motor Hi-Lo upholstery platform elevation 500-950mm.
- Cot side : Upholstered cot sides one side fixed another retractable.
- Features : - Foot mechanism stability, - Retractable castor, - Hand control switch.
- Coating : Epoxy powder coating.
- Max. Load : 200 Kg.
- Net Weight : Approx. 67 Kg.
- Overall Dimension: Approx. (L)1970x (W)610 x (H)500 - 950 mm.



34120 PREMIUM COUCH 3 SECTIONS

SPECIFICATION

- Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal, Fire retardant vinyl.
- Positions : - Using high-grade electric actuator motor Hi-Lo upholstery platform elevation 500-950 mm.
- Head section, inclination -22° - 72°
- Gas spring driven.
- Foot section, inclination -45° - 30°
- Gas spring driven.
- Features : - Foot mechanism stability, - Retractable castor, - Hand control switch.
- Coating : Epoxy powder coating.
- Max. Load : 200 Kg.
- Net Weight : Approx. 78 Kg.
- Dimension : Approx. (L)2000x (W)610 x (H)500 - 950 mm.



34119 PREMIUM COUCH 2 SECTIONS

SPECIFICATION

- Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal, Fire retardant vinyl.
- Positions : Using high-grade electric actuator motor Hi-Lo upholstery platform elevation 500-950mm.
- Head Section : Upholstered head section, inclination -22° - 72° - Gas spring driven.
- Features : - Foot mechanism stability, - Retractable castor, - Hand control switch.
- Coating : Epoxy powder coating.
- Max. Load : 200 Kg.
- Net Weight : Approx. 73 Kg.
- Overall Dimension: Approx. (L)1970x (W) 610 x (H) 500 - 950 mm.



34121 PODIATRY

SPECIFICATION

- Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal, Fire retardant vinyl.
- Positions : * Using high-grade electric actuator motor Hi-Lo upholstery platform elevation 500-890mm.
* Head rest, inclination -10° - 75°
- Electric actuator driven.
* Middle section, inclination 0° - 20°
- Electric actuator driven.
* Leg extension, inclination 0° -55°
- Gas spring driven
* Arm rest - Retractable, adjustable.
- Features : - Foot mechanism stability,- Retractable castor,- Hand control switch.
- Coating : Epoxy powder coating.
- Max. Load : 250 Kg.
- Net Weight : Approx. 78 Kg.
- Overall Dimension: Approx. (L)1870 - 1970x (W)700 x (H)500 - 890 mm.




SUITABLE MARKET

- 34118** : - Elderly Homes / Care Home - Schools - Geriatric Departments - Alternative Medicine - Rehabilitation Centres
- Hospitals - Public First Aid Rooms (Airport, Etc)
- 34119** : - Physiotherapy - Sport Club / Sport Therapy - Medical Schools - Alternative Medicine - Rehabilitation Centres
- Hospitals - Private Clinics - Massage and Beauty Centres - Tatto Parlours - General Physician

SUITABLE MARKET

- 34120** : - Physiotherapy - Sport Club/Sport Therapy - Medical Schools - Geriatric Departments - Rehabilitation Centres
- Alternative Medicine - Hospitals - Private Clinics - Massage & Beauty Centres - Tatto Parlours - General Physician
- 34121** : - Podiatry Market (Foot Specialists) - Alternative Medicine - Hospitals (Plaster Rooms) - Tatto Parlours
- Massage and Beauty Centres (Foot Massage) - Out Patient Surgery (Minor Foot Operation)



34122 NEUROLOGY

SPECIFICATION

Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.

Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal, Fire retardant vinyl.

Positions : Using high-grade electric actuator motor Hi-Lo upholstery platform elevation 500-885mm.

Head Section : Upholstered head section, inclination 0° - 80° - Electric actuator driven.


Features : - Foot mechanism stability,
- Retractable castor, - Hand control switch.

Coating : Epoxy powder coating.

Max. Load : 250 Kg.

Net Weight : Approx. 84 Kg.

Overall Dimension: Approx. (L)1965x (W)1050 x (H)510 - 885 mm.



34125 PREMIUM PLUS ELECTRA 2-SECTIONS 2 MOTORS

SPECIFICATION

Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.

Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal, Fire retardant vinyl.

Positions : Using high-grade electric actuator motor Hi-Lo upholstery platform elevation 500-960mm.

Head Section : Upholstered head section, inclination -19° - 68° - Electric actuator driven.


Features : - Foot mechanism stability,
- Retractable castor, - Hand control switch.

Coating : Epoxy powder coating.

Max. Load : 200 Kg.

Net Weight : Approx. 77 Kg.

Overall Dimension: Approx. (L)1970x (W)610 x (H)500 - 960 mm.



34123 PREMIUM PLUS SOLO 3-SECTIONS

SPECIFICATION

Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.

Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal vinyl.

Positions : * Using high-grade electric actuator motor Hi-Lo upholstery platform elevation 470-920 mm.

* Head section, inclination -0° - 85° - Gas spring driven.

* Foot section, inclination -75° - 45° - Gas spring driven.


Features : - Foot mechanism stability,
- Retractable castor, - Hand control switch.

Coating : Epoxy powder coating.

Max. Load : 200 Kg.

Net Weight : Approx. 73 Kg.

Overall Dimension: Approx. (L)2040x (W)650 x (H)470 - 920 mm.



34126 PREMIUM PLUS ELECTRA 3-SECTIONS 2 MOTORS

SPECIFICATION

Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.

Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal, Fire retardant vinyl.

Positions : * Using high-grade electric actuator motor Hi-Lo upholstery platform elevation 500-950 mm.

* Head section, inclination -19° - 68° - Electric actuator driven.

* Foot section, inclination -45° - 30° - Gas spring driven.

Features : - Foot mechanism stability,
- Retractable castor, - Hand control switch.

Coating : Epoxy powder coating.

Max. Load : 200 Kg.

Net Weight : Approx. 77 Kg.

Overall Dimension: Approx. (L)2000x (W)610 x (H)500 - 950 mm.

SUITABLE MARKET


34122 : - Physiotherapy - Sport Club / Sport Therapy - Medical Schools - Alternative Medicine - Rehabilitation Centres
- Hospitals - Private Clinics - Massage and Beauty Centres - Tatto Parlours - General Physician

34123 : - Physiotherapy - Sport Club / Sport Therapy - Medical Schools - Alternative Medicine - Rehabilitation Centres
- Hospitals - Private Clinics - Massage & Beauty Centres - Tatto Parlours - General Physician

SUITABLE MARKET

34125 : - Physiotherapy - Sport Club/Sport Therapy - Medical Schools - Alternative Medicine - Rehabilitation Centres
- Hospitals - Private Clinics - Massage & Beauty Centres - Tatto Parlours - General Physician


34126 : - Physiotherapy - Sport Clubs/Sport Therapy - Medical Schools - Alternative Medicine - Rehabilitation Centres
- Hospitals - Private Clinics - Massage & Beauty Centres - Tatto Parlours - General Physician



34127 PREMIUM PLUS ELECTRA 3-SECTIONS 3 MOTORS

SPECIFICATION


- Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal, Fire retardant vinyl.
- Positions : Using high-grade electric actuator motor Hi-Lo upholstery platform elevation 500-950mm.
- Head section, inclination -19° - 68°
- Foot section, inclination -45° - 30°
- Cot side : Upholstered cot sides one side fixed another retractable.
- Features : - Foot mechanism stability,
- Retractable castor, - Hand control switch.
- Coating : Epoxy powder coating.
Max. Load : 200 Kg.
Net Weight : Approx. 79 Kg.
Overall Dimension: Approx. (L)2000x (W)610 x (H)500 - 950 mm.



34131 PREMIUM MAK PRO 3-SECTIONS

SPECIFICATION

- Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal, Fire retardant vinyl.
- Positions : * Using high-grade electric actuator motor Hi-Lo upholstery platform elevation 530-1000mm.
* Head section, inclination -28° - 45°
- Gas spring driven.
* Foot section, inclination 0° - 80°
- Gas spring driven.
* Middle section, inclination 0° - 20°
- Electric actuator motor.
- Features : - Foot mechanism stability,
- Retractable castor, - Hand control switch.
- Coating : Epoxy powder coating.
Max. Load : 200 Kg.
Net Weight : Approx. 78 Kg.
Overall Dimension: Approx. (L)2020 x (W)700 x (H)530 - 1000 mm.



34130 PREMIUM MAK PRO 2 SECTIONS

SPECIFICATION

- Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal, Fire retardant vinyl.
- Positions : * Using high-grade electric actuator motor Hi-Lo upholstery platform elevation 530-1000mm.
* Head section, inclination -25° - 45°
- Gas spring driven.
* Foot section, inclination 0° - 20°
- Electric actuator driven.
- Features : - Foot mechanism stability,
- Retractable castor, - Hand control switch.
- Coating : Epoxy powder coating.
Max. Load : 200 Kg.
Net Weight : Approx. 73 Kg.
Overall Dimension: Approx. (L)2010x (W)650x (H)530 - 1000 mm.

COUCH ACCESSORIES



UNIVERSAL BRACKET



CALF SUPPORT



STIRRUP



ARM REST



COT SIDES



PRONE TREATMENT HEAD SECTION



FOOT SWITCH CONTROLLER



HAND CONTROLS SWITCH



PAPER TOWEL ROLL HOLDER

Color Selection



Golden Beige



Grey



Gogo Blue



White



Black

SUITABLE MARKET

- 34127** : - Physiotherapy - Sport Clubs/Sport Therapy - Medical Schools - Alternative Medicine - Rehabilitation Centres - Hospitals - Private Clinics - Massage & Beauty Centres - Tatto Parlours - General Physician
- 34130/34131** : - Physiotherapy - Sport Clubs/Sport Therapy - Medical Schools - Alternative Medicine - Private Clinics - Hospitals - Rehabilitation Centres - Massage & Beauty Centres - Tatto Parlours - General Physician




34117
GYN EXAMINATION TABLE

SPECIFICATION

Construction	: High quality stainless steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
Main Frame	: Manufactured using the latest techniques from medical grade stainless steel sections throughout.
Upholstery	: Manufactured in line with Medical Devices Directive using high quality Anti-Backterial, Anti-Fungal, Fire retardant vinyl.
Back raise	: Inclination 0 - 80°-gas spring mechanism.
Seat	: Inclination 0 - 15°-lever crank driven.
Footrest	: Inclination 0 - -90°-telescopic rack mechanism.
Calf support	: Adjustable, ABS and vinyl.
Handgrip	: Stainless steel section.
I.V. Pole	: Stainless steel section.
Basin	: Stainless steel basin.
Stirrup	: Sliding , steel sheet +rubber.
Packaging	: Knock - Down system.
Max. Load	: 150 Kg.
Net Weight	: Approx. 43 Kg.
Overall Dimension	: Approx. (L) 1730 x (W) 650 x (H) 810 mm.

Dimension (mm)






52501 M
MANUAL OPERATING TABLE

SPECIFICATION

Construction	: High quality steel, and stainless steel construction utilising the latest manufacturing techniques throughout.
Upholstery	: Manufactured in line with Medical Devices Directive using high quality Anti-Bacterial, Anti-Fungal and Fire retardant vinyl.
Positions	: Hi-Lo-hydraulic system. Trendelenburg & anti trendelenburg. inclination 18° to -18°, - crank driven. Lateral tilt inclination 20° to -20°, -crank driven. Head raise, inclination -20° to 40°. Back raise, inclination 0 to 70°. Knee raise, inclination 0 to 90°. rack system. Kidney elevator, -worm gear system.
Castors	: 3" castors.
Accessories	: - Adjustable calf support made of ABS & Vinyl, (1 pair). - Shoulder support (1 pair). - Lateral body support (1 pair). - Arm rest (1 pair). - Anesthetic screen frame (1set).
Coating	: Epoxy powder coating.
Max. Load	: 200 Kg.
Net Weight	: Approx. 180 Kg.
Overall Dimension	: Approx. (L) 1950 x (W) 800 x (H) 840 - 1040 mm. (on mattress)



Ob-Gyn Position



Hi-Lo Position




Trendelenburg & Anti-Trendelenburg Position



52501 E
ELECTRIC OPERATING TABLE

SPECIFICATION

- Construction : High quality steel, and stainless steel construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Bacterial, Anti-Fungal and Fire retardant vinyl .
- Positions : Using electrical motor 24V DC, Power consumption 220 V AC, 50Hz, max 100 W.
- Hi-Lo elevation1040(Hi)-840(Lo)mm.
- Trendelenburg & Anti trendelenburg inclination 18° to -18°.
- Lateral tilt inclination 20° to -20°.
- Castors : 3" castors.
- Accessories : Head raise inclination -20° to 40°.
Back raise inclination 0 to 70°.
Knee raise inclination 0 to 90°.
- rack mechanism.
Kidney elevator-worm gear system.
- Coating : Epoxy powder coating.
- Max. Load : 200 Kg.
- Net Weight : Approx. 185 Kg.
- Overall Dimension: Approx. (L) 1955 x (W) 800 x (H) 840 1040 mm. (on mattress)
- Castors : 3" castors.
- Accessories : - Adjustable calf support made of ABS & Vinyl, (1 pair).
- Shoulder support (1 pair).
- Lateral body support (1 pair).
- Arm rest (1 pair).
- Anesthetic screen frame (1set).



Ob-Gyn Position



Lateral Tilt Position



Trendelenburg & Anti-Trendelenburg Position



Hi-Lo Position




Upholstered sections
are X-Ray compatible

52502 E
ELECTRIC OPERATING TABLE

SPECIFICATION

- Construction : High quality steel section, and stainless steel construction utilising the latest manufacturing techniques throughout.
- Upholstery : Made of high quality foam and lining cover using Anti-Bacterial, Anti-Fungal growth and fire retardant vinyl .
- Positions : Using electrical motor 24V DC, Power consumption 220 V AC, 50Hz, max 100 w.
- Hi-Lo elevation1040(Hi)-840(Lo)mm.
- Trendelenburg & Anti-trendelenburg inclination 18° to -18°.
- Lateral tilt,inclination 20° to -20°.
Head raise, inclination -20° to 40°.
Back raise, inclination 0 to 70°. X-ray compatible on head section & back raise (C-arm X-ray type only).
Knee raise, inclination 0 to 90°.
Kidney position (Gas spring mechanism).
3" castors.
- Castors : - Adjustable calf support made of ABS & Vinyl, (1 pair).
- Accessories : - Shoulder support (1 pair).
- Lateral body support (1 pair).
- Arm rest (1 pair).
- Anesthetic screen frame (1set).
Epoxy powder coating.
- Coating :
- Max. Load : 200 Kg.
- Net Weight : Approx. 188 Kg.
- Overall Dimension: Approx. (L) 1990 x (W) 810 x (H) 840 - 1040 mm. (on mattress).



Ob-Gyn Position



Lateral Tilt Position



Trendelenburg & Anti-trendelenburg Position



Hi-Lo Position



Back raise position can be adjusted by electric motor system




Chair Tilting/elevation can be adjusted by electric motor system

34108
ELECTRIC GYNAECOLOGY CHAIR

SPECIFICATION

- Construction : High quality steel section, and stainless steel construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices Directive using high quality Anti-Bacterial, Anti-Fungal and Fire retardant vinyl.
- Positions : Using electrical motor 24 V DC, Power consumption 220 Volt AC, 50Hz, 100W. Hi-Lo elevation 795(Lo)-975(Hi)mm. Bottom rest, Trendelenburg 10°. Back raise, inclination 30°- 80°. - Remote control.
- Castors : 3" castors.
- Accessories : Adjustable calf support made of ABS & Vinyl, (1 pair) and drawer.
- Hand Grip : Stainless steel section.
- Max. Load : 200 Kg.
- Net Weight : Approx. 150 Kg.
- Overall Dimension: Approx. (L) 610 x (W) 600 x (H) 795 - 975 mm.





35101 - INSTRUMENT TROLLEY

SPECIFICATION

- Construction : Manufactured using the latest manufacturing techniques from medical grade stainless steel sheet throughout.
- Drawer : Stainless steel drawer.
- Handle : Stainless steel section handle.
- Shelf : Stainless steel shelf.
- Castor : 2" swivel castor + bumpers.
- Net Weight : Approx. 15 Kg.
- Max. Load : 25 Kg (each shelf).
- Overall Dimension: Approx. (L) 630 x (W) 470 x (H) 835 mm.



**36301 - 36302
BOWL STAND SINGLE/DOUBLE**

SPECIFICATION

- Construction : Manufactured using the latest manufacturing techniques from medical grade stainless steel throughout.
- Basin : Made of stainless steel.
- Handle : On two sides also function as towel hanger.
- Castor : Four 2" swivel castors.
- Net Weight : Approx. (36301) 3.77 Kg.
(36302) 4.88 Kg.
- Basin Capacity : Max. 7 ltr / basin.
- Overall Dimension : Approx.
(36301) (L) x 550 x (W) 440 x (H) 760 mm.
(36302) (L) x 915 x (W) 440 x (H) 760 mm.



35102 - DRESSING TROLLEY

SPECIFICATION


- Construction : Manufactured using the latest manufacturing techniques from medical grade stainless steel sheet throughout.
- Shelf : Stainless steel shelf.
- Guardrail : Stainless steel rod.
- Handle : Stainless steel sections.
- Accessories : Bucket and basin mounting brackets.
- Castor : 2" swivel castors + bumpers.
- Net Weight : Approx. 22.5 Kg.
- Max. Load : 25 Kg (each shelf)
- Overall Dimension: Approx. (L) 750 x (W) 450 x (H) 880 mm.



35103 - MAYO STAND

SPECIFICATION

- Construction : Manufactured using the latest manufacturing techniques from medical grade stainless steel sheet throughout.
- Tray : Stainless steel sheet tray.
- Hi - Lo : Adjustable by lock pin system.
- Castors : 2" swivel castors.
- Max. Load : 10 kg (3 kg rear tray)
- Net Weight : Approx. 11 kg
- Overall Dimension : Approx. (L) 570 x (W) 430 x (H) 870 - 1095 mm.





PATIENT TRANSFER SOLUTIONS

Comfort and security are the utmost important feature of all our patient transfer products.

MAK offers the best options for various applications.

Hygiene control is considered in our process of adding a zinc phosphate base to all powder coated surfaces.

CONTENT


Folding Stretcher	103	Emergency Mobile Stretcher	106
Mobile Stretcher	103	Transferring Patient	107
Emergency Stretcher	104	Mortuary Carriage	109
Multi Purpose Stretcher	105	Commode Chairs	109
Transporting Patient	106	Wheel Chairs	110

31201 - FOLDING STRETCHER

SPECIFICATION

- Main Frame : High quality steel sections construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Anti-Fungal and Fire retardant vinyl.
- Backraise : Inclination 0-60°-telescopic mechanism.
- Castors : 5" swivel lock castors, two with brakes.
- Max. Load : 150 Kg.
- Net Weight : Approx. 46 Kg.
- Overall Dimension : Approx. (L) 2000 x (W) 750 x (H) 850 mm.

Dimension (mm)




Can be folded into two parts

31202 - MOBILE STRETCHER

SPECIFICATION

- Main Frame : High quality stainless steel sections construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Anti-Fungal and Fire retardant vinyl.
- Backraise : Inclination 0° to 60°-telescopic mechanism
- Castors : 25½" & 5" swivel castor, two with brakes.
- Max. Load : 150 Kg.
- Net Weight : Approx. 38 Kg.
- Overall Dimension: Approx. (L) 2050 x (W) 645 x (H) 840 mm

Dimension (mm)




31203 - MOBILE STRETCHER

SPECIFICATION

- Main Frame : High quality stainless steel sections construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Anti-Fungal and Fire retardant vinyl.
- Backraise : Inclination -20° to 60°-telescopic mechanism.
- Castors : 5" swivel castor, two with brakes.
- Max. Load : 150Kg.
- Net Weight : Approx. 37 Kg.
- Overall Dimension: Approx. (L) 2060 x (W) 760 x (H) 845 mm.

Dimension (mm)




31204 - EMERGENCY STRETCHER

SPECIFICATION

- Construction : High quality steel, and stainless steel construction utilising the latest manufacturing techniques throughout.
- Mattress Platform : Manufactured from phosphate coated perforated steel sheet with mattress locators to sides and ends.
- Upholstery : Manufactured in line with medical device directive using high quality Anti-Bacterial, Anti-Fungal and Fire retardant vinyl.
- Head and Foot End Panel : Detachable wooden panel with stainless steel frame.
- Position : Back raise inclination 0-70°. Knee raise inclination 0-40°. Mattress platform elevation 600(Lo)-800(Hi)mm. Trendelenburg and Anti-Trendelenburg inclination -7° to -10°, Manual crank.
- Side guard : Folding, automatic locking stainless steel sections sideguard.
- Accessories : - Shelf/Rack. - Oksigen bracket.
- Castors : 5" swivel lock castors, two with brakes.
- Coating : Epoxy powder coating.
- Max Load : 150 Kg.
- Net Weight : Approx. 120 Kg.
- Overall Dimension: Approx. (L)2240 x (W)930 x (H)995 - 1195mm

Dimension (mm)



31206 - MULTI PURPOSE STRETCHER

SPECIFICATION

- Construction : High quality stainless steel sections construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Anti-Fungal and Fire retardant vinyl.
- Castors : 5" swivel lock castors, two with brakes.
- Back Raise : Adjustable-telescopic mechanism.
- Max. Load : 150 Kg.
- Net Weight : Approx. 46 Kg.
- Overall Dimension : Approx. (L) 1990 x (W) 640 x (H) 1050 mm.




31207 - TRANSPORTING PATIENT

SPECIFICATION

- Construction : High quality stainless steel sections construction utilising the latest manufacturing techniques throughout.
- Hammock : Detachable, canvas hammock.
- Hi-Lo : Elevation 570 - 910 - crank driven.
- I.V. Pole : Stainless steel infuse stand.
- Side guard : Folding, stainless steel side guard.
- Castors : 5" swivel lock castors, two with brakes.
- Max. Load : 150 Kg.
- Net Weight : Approx. 39 Kg.
- Overall Dimension : Approx. (L) 2000 x (W) 650 x (H) 570 - 910 mm.

Dimension (mm)




31208 - EMERGENCY MOBILE STRETCHER

SPECIFICATION

- Main Frame : High quality stainless steel sections construction utilising the latest manufacturing techniques throughout.
- Upholstery : Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Anti-Fungal and Fire retardant vinyl.
- Backraise : Inclination 0° - 60°-telescopic mechanism.
- Castors : 5" swivel lock castors, two with brakes.
- Accessories : Stainless steel I.V. Pole.
Stainless steel Oxygen cylinder holder.
Stainless steel rack for clothes.
- Side guard : Folding, stainless steel side guard.
- Max. Load : 150 Kg.
- Net Weight : Approx. 42 Kg.
- Overall Dimension : Approx. (L) 2000 x (W) 700 x (H) 840 mm.


Dimension (mm)



31209 - TRANSFERRING PATIENT

SPECIFICATION


Main Frame	: High quality steel sections construction utilising the latest manufacturing techniques throughout.
Platform	: Manufactured from perforated steel sheet.
Upholstery	: Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Anti-Fungal and Fire retardant vinyl.
Hi-Lo	: Adjustable manually by crank.
Backraise	: Inclination 0° - 40°-gas spring mechanism.
Sideguard	: Folding, ABS side guard.
Castors	: 6" central lock double-wheel castors & 5" wheel.
Accessories	: - O2 Bracket, - Stainless steel basket.
I.V. Pole	: Stainless steel section - adjustable. Can be located in four different position.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. 102 Kg.
Overall Dimension	: Approx. (L) 2050 x (W) 680 x (H) 700 - 930 mm.



31209 T - TRANSFERRING PATIENT TRENDLENBURG

SPECIFICATION

Main Frame	: High quality steel sections construction utilising the latest manufacturing techniques throughout.
Mattress Platform	: Manufactured from perforated steel sheet.
Upholstery	: Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Fungal and Fire retardant vinyl.
Hi-Lo	: Adjustable manually by crank.
Backraise	: Inclination 0-40°-gas spring mechanism.
Side guard	: Folding, ABS side guard.
Trendelenburg	: Inclination 0° - 12°-gas spring mechanism.
Castors	: 6" central lock double-wheel castors & 5" wheel.
I.V. Pole	: Stainless steel section - adjustable. Can be located in four different position.
Accessories	: - O2 bracket, - Stainless steel basket.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. 108.4 Kg.
Overall Dimension	: Approx. (L) 2050 x (W) 680 x (H) 700 - 930 mm



31209 TH - TRANSFERRING PATIENT HYDRAULIC


SPECIFICATION

Main Frame	: High quality steel sections construction utilising the latest manufacturing techniques throughout.
Platform	: Manufactured from phosphate coated perforated steel sheet.
Upholstery	: Manufactured in line with Medical Devices directive using high quality Anti-Bacterial, Anti-Fungal and Fire retardant vinyl.
Hi-Lo	: Elevation 610-900 mm- hydraulic actuator.
Trendelenburg	: Inclination -12°, -gas spring system.
Backraise	: Inclination 0-40°-gas spring mechanism.
Side guard	: Folding, ABS side guard.
Castors	: 6" central lock double-wheel castors & 5" wheel.
I.V. Pole	: Stainless steel sections- adjustable. Can be located in four different positions.
Accessories	: - O2 Bracket, - Stainless steel basket.
Coating	: Epoxy powder coating.
Max. Load	: 160 Kg.
Net Weight	: Approx. 115 Kg.
Dimension Overall	: Approx. (L) 2050 x (W) 690 x (H) 610 - 900 mm.



Center wheel as direction

Dimensions (mm)



Trendelenburg Position



Backraise with gasspring mechanism




Hydraulic pedal

31210 - MORTUARY CARRIAGE

SPECIFICATION

Main Frame	: High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
Base	: Manufactured from stainless steel sheet.
Cover	: Manufactured from aluminum sheet.
Castors	: 8" castors.
Coating	: Epoxy powder coating.
Max. Load	: 150 Kg.
Net Weight	: Approx. 100 Kg.
Overall Dimension:	Approx. (L) 2300 x (W) 690 x (H) 975 mm.



31303 -STAINLESS STEEL WHEEL CHAIRS

SPECIFICATION

Main Frame	: High quality stainless steel sections, and sheet construction utilising the latest manufacturing techniques throughout. Can be folded.
Backrest & seat	: Made of foam and covered by imitation leather.
Equipped with	: Lock position.
Castor	: Main Wheel 24". Front wheel 8".
Max. Load	: 120 Kg.
Net Weight	: Approx. 17 Kg.
Overall Dimension:	Approx. (L) 1050 x (W) 620 x (H) 890 mm.


Dimension (mm)



31302 - COMMODE CHAIRS

SPECIFICATION

Construction	: Manufactured using the latest techniques from medical grade stainless steel sections throughout.
Castor	: 5" swivel lock castors, two with brakes.
Equipped with	: - Nylon plastic armrest, detachable footrest. - Plastic toilet seat. - Pail for feses.
Max. Load	: 120 Kg.
Net Weight	: Approx. 12 Kg.
Overall Dimension:	Approx. (L) 750 x (W) 575 x (H) 890 mm.



31305 - MILD STEEL WHEEL CHAIRS

SPECIFICATION

Main Frame	: High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout. Can be folded.
Backrest & seat	: Made of foam and covered by imitation leather.
Equipped with	: Lock position.
Castor	: Main Wheel 24". Front Wheel 8".
Max. Load	: 120 Kg.
Net Weight	: Approx. 19 Kg.
Overall Dimension:	Approx. (L) 1050 x (W) 620 x (H) 890 mm.

Dimension (mm)





TROLLEY

Food Trolley	113
Laundry Trolley	113
Linen Hamper Carriage	114
Cleaner Trolley	115
Medicine Trolley	115
Urinal & Bedpan Carriage	115
Anesthesia Trolley	116
Medical Report Trolley	116
Instrument Cabinet	117
Medicine Cabinet	117
Locker	117

All products in this category have been thoughtfully designed to complement each other


and other MAK products to enable multi products placement possible



35201 - FOOD TROLLEY

SPECIFICATION


- Main Frame : Manufactured using the latest manufacturing techniques from medical grade stainless steel sheet throughout.
- Consist of : 3 shelves.
- Castors : 5" swivel castors - two with brakes, Bumpers on its.
- Max. Load : 20 Kg. each shelf.
- Net Weight : Approx. 26 Kg.
- Overall Dimension : Approx. (L) 1325 x (W) 500 x (H) 940 mm.



35301 - LAUNDRY TROLLEY

SPECIFICATION


- Construction : Manufactured using the latest manufacturing techniques from medical grade steel sheet, and wire mesh throughout.
- Complete with : Steel sections handle.
- Castor : 5" swivel lock castors - two with brakes, bumpers on its.
- Coating : Epoxy powder coating.
- Max. Load : 100 Kg.
- Overall Dimension : Approx. (L) 1180 x (W) 660 x (H) 720 mm



35202 - MILD STEEL FOOD TROLLEY

SPECIFICATION


- Main Frame : Manufactured using the latest manufacturing techniques from medical grade steel sheet throughout.
- Doors : 2 steel doors.
- Castors : 5" swivel lock castors -two with brakes, bumpers on its castor .
- Accessories : 16 trays.
- Overall Max. Load : 100 Kg.
- Net Weight : Approx. 55.5 Kg.
- Overall Dimension : Approx. (L) 950 x (W) 500 x (H) 1220 mm.



35302 A - STEEL LINEN HAMPER CARRIAGE

SPECIFICATION


- Construction : Manufactured using the latest manufacturing techniques from medical grade steel sheet throughout.
- Sections : Linen bag, cupboard, and three shelves.
- Castor : 5" swivel lock castors - two with brakes.
- Coating : Epoxy powder coating.
- Overall Max. Load : 100 Kg.
- Net Weight : Approx. 38.5 Kg.
- Overall Dimension : Approx. (L) 1085 x (W) 650 x (H) 1140 mm.



35203 - STAINLESS FOOD TROLLEY

SPECIFICATION


- Main Frame : Manufactured using the latest manufacturing techniques from medical grade stainless steel sheet throughout.
- Doors : 2 stainless steel doors.
- Castors : 5" swivel lock castors - two with brakes, bumpers on its castor.
- Accessories : 16 trays.
- Overall Max. Load : 100 Kg.
- Net Weight : Approx. 68 Kg.
- Overall Dimension : Approx. (L) 950 x (W) 500 x (H) 1220 mm.



35302 B - STAINLESS STEEL LINEN HAMPER CARRIAGE

SPECIFICATION

- Construction : Manufactured using the latest manufacturing techniques from medical grade stainless steel sheet throughout.
- Sections : Linen bag, cupboard, and three shelves.
- Castor : 5" swivel lock castors - two with brakes.
- Overall Max. Load : 100 Kg.
- Net Weight : Approx. 39.5 Kg.
- Overall Dimension : Approx. (L) 1085 x (W) 650 x (H) 1140 mm.





35310 - CLEANER TROLLEY

SPECIFICATION


- Main frame : Manufactured using the latest manufacturing techniques from medical grade stainless steel sections throughout.
- Sections : - Linen bag, 2 Baskets (upper & lower), Side brackets for hanging mop and broom, Rack.
- Castor : 5" swivel castors - two with brakes, bumpers on its castor.
- Overall Max. Load : 100 Kg.
- Net Weight : Approx. 18 Kg.
- Overall Dimension : Approx. (L) 1120 x (W) 620 x (H) 1130 mm.



36602 - 50 DRAWERS MEDICINE TROLLEY

SPECIFICATION


- Main frame : Manufactured using the latest manufacturing techniques from medical grade steel sheet throughout.
- Drawers : 25 Acrylic Drawers-36601.
50 Acrylic Drawers-36602.
- Castor : 5" swivel lock castors - two with brakes, bumpers on its.
- Coating : Epoxy powder coating.
- Consist of : 2 steel drawers, and 1 cupboard.
- Overall Max. Load : 100 Kg.
- Net Weight : Approx. 70.5 Kg.
- Overall Dimension : Approx. (L) 950 x (W) 490 x (H) 1060 mm.



36303 - URINAL & BEDPAN CARRIAGE

SPECIFICATION


- Main frame : Manufactured using the latest manufacturing techniques from medical grade stainless steel sections throughout.
- Sections : 20 Mounting brackets (10 for urinal pot, 10 for bedpan).
- Castor : 5" swivel lock castors - two with brakes.
- Optional : Urinal pot and bedpan.
- Overall Max. Load : 100 Kg.
- Net Weight : Approx. 14 Kg.
- Overall Dimension : Approx. (L) 990 x (W) 450 x (H) 1250 mm.



36604 - ANESTHESIA TROLLEY

SPECIFICATION


- Contruction : Manufactured using the latest manufacturing techniques from medical grade steel sections, and sheet throughout.
- Sections : 3 drawers with central lock, 1 stainless steel drawer.
- Accessories : 12 Acrylic drawers.
- Castor : 5" swivel lock castors - two with brakes, bumpers on its castor.
- Coating : Epoxy powder coating.
- Overall Max. Load : 100 Kg.
- Net Weight : Approx. 62 Kg.
- Overall Dimension : Approx. (L) 645 x (W) 565 x (H) 1340 mm.



36605 - MEDICAL REPORT TROLLEY


SPECIFICATION

- Contruction : Manufactured using the latest manufacturing techniques from medical grade steel sections, and sheet throughout.
- Sections : 8 drawers with central lock.
- Castor : 5" swivel lock castors - two with brakes, bumpers on its castor.
- Coating : Epoxy powder coating.
- Overall Max. Load : 100 Kg.
- Net Weight : Approx. 63 Kg.
- Overall Dimension : Approx. (L) 565 x (W) 565 x (H) 1250 mm.







**32901
INSTRUMENT
CABINET**



**32902
MEDICINE
CABINET**



**32903
MEDICINE
CABINET**



SPECIFICATION

Construction : **32901,32902,32903** Manufactured using the latest techniques from medical grade steel sheet throughout.

Section : **32901** transparent glass door and four adjustable shelves.
32902 two compartments - two steel door, and two transparent glass door, two adjustable shelves.
32903, two compartments - one steel door, and one transparent glass door, two shelves adjustable with full transparent glass..

Coating : Epoxy powder coating.

Max. Load : 25 Kg. (each shelf for 32901 & 32902)
10 Kg. (each shelf for 32903)

Net Weight : Approx. (32901) 68 Kg.
(32902) 64 Kg.
(32903) 50 Kg.

Overall Dimension: Approx. (32901) (L) 900 x (W) 460 x (H) 1750 mm.
(32902) (L) 900 x (W) 460 x (H) 1750 mm.
(32903) (L) 700 x (W) 400 x (H) 1750 mm.

SPECIFICATION

Base Frame : Manufactured from steel section

Construction : Manufactured using the latest techniques from medical grade steel sheet throughout.

Section : **32503**, Four cupboards - one shelf and hanger holder.
32504, Six cupboards-one shelf and hanger holder.
32505, Twelve cupboards-one shelf.

Coating : Epoxy powder coating.


Max. Load : 15 Kg (each shelf)

Net Weight : Approx.(32503) 50 Kg,
(32504) 93 Kg,
(32505) 124 Kg


Overall Dimension : Approx. (32503) (L) 770 x (W) 400 x (H) 2000 mm
(32504) (L) 1150 x (W) 400 x (H) 2000 mm
(32505) (L) 1400 x (W) 400 x (H) 1885 mm




**32503
LOCKER
4 CUPBOARDS**



**32504
LOCKER
6 CUPBOARDS**



**32505
LOCKER
12 CUPBOARDS**





CONTENT

Folding Bed	121
Sofa Bed	122
Waiting Chairs	123
Modern Chairs	125
Modern Tables	126

MAK compliments its range of hospital finishings with solutions for your waiting patients and visitors

99001
FOLDING BED




SPECIFICATION

- Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress : Manufactured in line with Medical Devices Directive using high quality Anti- Bacterial, Anti-Fungal, Fire retardant vinyl.
- Side guard : Laminated foam side guard.
- Positions : Back raise inclination 0-75°-rack mechanism.
- Castor : 2" castors.
- Coating : Epoxy powder coating.
- Max. Load : 160 Kg
- Net Weight : Approx. 34 Kg.
- Overall Dimension : Approx. (L) 2085 x (W) 880 x (H) 370 mm
- Can be folded with spring mechanism.



Dimension (mm)



99002
SOFA BED




SPECIFICATION

- Construction : High quality steel sections, and sheet construction utilising the latest manufacturing techniques throughout.
- Mattress : Manufactured in line with Medical Devices Directive using high quality linen.
- Optional : With high quality Anti-Bacterial, Anti-Fungal, Fire retardant vinyl.
- Positions : Back raise inclination 0-75°-rack mechanism.
- Castor : 2" castors.
- Coating : Epoxy powder coating.
- Max. Load : 160 Kg.
- Net Weight : Approx. 41.5 Kg.
- Overall Dimension : Approx. (L) 2090 x (W) 885 x (H) 410 mm.
- Can be folded with spring mechanism.






Dimension (mm)



99103 S4
WAITING CHAIR

Construction : Manufactured using the latest techniques from medical grade steel sections throughout.
Back and Seat : Manufactured from perforated steel sheet.
Coating : Epoxy powder coating.
Packing : Knock Down System
Upholstery Mattress (optional): Durable convenient cover.
Net Weight : Approx. 99103
- S4 : 60 Kg
- T4 : 58 Kg
- S3 : 45 Kg
- T3 : 43 Kg
Max. Load : 100 Kg (each section).


Dimension (mm)



99104 S4
WAITING CHAIR

Construction : Manufactured using the latest techniques from medical grade steel sections throughout.
Back and Seat : Manufactured from perforated steel sheet.
Coating : Epoxy powder coating.
Packing : Knock Down System
Upholstery Mattress (optional): Durable convenient cover.
Net Weight : Approx. 99104
- S4 : 52 Kg
- T4 : 50 Kg
- S3 : 39 Kg
- T3 : 37 Kg
Max. Load : 100 Kg (each section).

Dimension (mm)






99101 & 99102 - MODERN CHAIR

SPECIFICATION


- Frame : 99101 : Manufactured from steel section throughout.
99102: Manufactured from stainless steel section throughout.
- Seat & Backrest : Manufactured from perforated steel sheet with color option (red, yellow, green, blue, black and gray).
- Coating : Epoxy powder coating.
- Max. Load : 90 Kg.
- Net Weight : Approx. 7.5 Kg.
- Overall Dimension: Approx. (L) 545 x (W) 481 x (H) 795 mm



99201 & 99202 - TABLE

SPECIFICATION

- Construction : Manufactured from steel sections throughout.
- Top table : 99201 (metal), 99202 (wood).
- Coating : Epoxy powder coating.
- Max. Load : 50 Kg.
- Net Weight : Approx. 9.5 Kg.
- Overall Dimension : Approx. (L) 800 x (W) 800 x (H) 740 mm.
- KNOCK DOWN ASSEMBLY SYSTEM*



Note to the reader : Numbers in bold indicate the number of product catalogue and numbers in italic the page number of product

A

Anesthesia Trolley, **36604**, 116

B

Baby Basket Stainless, **33609**, 39
Baby Basket Steel Pipe, **33608**, 39
Baby Basket Trenden, **33610**, 39
Baby Basket Trenden, **33611**, 39
Bedside Cabinet, **31811**, 69
Bedside Cabinet, **31814**, 69
Bedside Cabinet, **31815**, 69
Bedside Cabinet, **31816**, 70
Bedside Cabinet, **31817**, 70
Bedside Cabinet, **31824**, 71
Bedside Cabinet, **33031**, 71
Bedside Cabinet, **33032**, 71
Bedside Cabinet, **73032**, 70
Bedside Cabinet, **77091**, 70
Blood Donor Chair, **31306**, 82
Bowl Stand Double, **36302**, 100
Bowl Stand Single, **36301**, 100

C

Children Bed Stainless, **33606B**, 41
Children Bed Stainless, **33606C**, 42
Children Bed Steel, **33605B**, 41
Children Bed Steel, **33605C**, 42
Cleaner Trolley, **35310**, 115
Comfort Bed C Series (manual), **31801 C**, 13
Comfort Bed C Series (manual), **31802 C**, 13
Comfort Bed C Series (manual), **31803 C**, 13
Comfort Bed C Series (manual), **31804 C**, 14
Classic Bed Economic Series, **33104**, 19
Classic Bed Economic Series, **33105**, 20
Classic Bed Series, **33102**, 19
Classic Bed Series, **33103**, 19
Classic Bed Series, **33106**, 19
Classic Bed Series, **33107**, 20
Comfort Bed CM Series (manual), **31801 CM**, 15
Comfort Bed CM Series (manual), **31802 CM**, 15
Comfort Bed CM Series (manual), **31803 CM**, 15
Comfort Bed CM Series (manual), **31804 CM**, 16
Comfort Bed S Series (manual), **31801 S**, 11
Comfort Bed S Series (manual), **31802 S**, 11
Comfort Bed S Series (manual), **31803 S**, 11
Comfort Bed S Series (manual), **31804 S**, 12
Commode Chair, **31302**, 109

D

Dressing Trolley, **35102**, 99

E

Economic Bed, **33001**; **33002**; **33003**; **33004**; **33005**, 21
Economic Bed, **33006**; **33007**; **33008**; **33009**, 23
Emergency Mobile Stretcher, **31208**, 106
Emergency Stretcher, **31204**, 104
Emergency Trolley, **36603**, 81
Examination Stool, **34151**, 82
Examination Table (Electric), **34104 E**, 78
Examination Table (Manual), **34104 M**, 77
Examination Table, **34101**, 77
Examination Table, **34105**, 77

F

Folding Bed, **99001**, 121
Folding stretcher, **31201**, 103
Food Trolley, **35201**, 113
Food Trolley, **35202**, 113
Food Trolley (Stainless), **35203**, 113
Foot Step, **34152**, 82

G

Gynaecolog Chair (Electric) , **34108**, 97
Gynaecolog Examination, **34102**, 77
Gynaecolog Examination, **34103**, 77
Gynaecolog Examination Table (Electric), **34107**, 79
Gynaecolog Examination Table, **34117**, 89

H

Homecare Bed, **81001**, 43

I

Infuse Stand Mobile, **36101**, 73
Infuse Stand Mobile, **36103**, 74
Instrument Cabinet, **32901**, 117
Instrument Trolley, **35101**, 99

L

Laundry Trolley, **35301**, 114
Linen Hamper Carriage, **35302A**, 114
Linen Hamper Carriage, **35302B**, 114
Locker, **32503**, 117
Locker, **32504**, 118
Locker, **32505**, 118

M

Manual ICU-ICCU Bed , **31810**, 37
Mayo Stand, **35103**, 100
Medical Report Trolley, **36605**, 116
Medicine Cabinet, **32902**, 117
Medicine Cabinet, **32903**, 117
Medicine Trolley, **36602**, 115
Mobile stretcher, **31202**, 103
Mobile stretcher, **31203**, 104
Modern Chair Stainless, **99102**, 125
Modern Chair Steel, **99101**, 125
Modern Table (Metal), **99201**, 126
Modern Table (Wood), **99202**, 126
Mortuary Carriage, **31210**, 109
Multi Purpose stretcher, **31206**, 105
Multi Functional Chair, **31309**, 80

N

Neurology, **34122**, 85

O

Operating Table (electric), **52501 E**, 93
Operating Table (electric), **52502 E**, 95
Operating Table (manual), **52501 M**, 91
Overbed Table **31812**, 72
Overbed Table **73031**, 72
Overbed Table **73033**, 72
Overbed Lamp **31831**, 74

P

Podiatry, **34121**, 84
Premium Couch Changing Table, **34118**, 83
Premium Couch 2 Sections, **34119**, 83
Premium Couch 3 Sections, **34120**, 84
Premium Plus Electra 2 Sections 2 Motors, **34125**, 86
Premium Plus Electra 3 Sections 2 Motors, **34126**, 86
Premium Plus Electra 3 Sections 3 Motors, **34126**, 87
Premium Plus Solo 3 Sections 2, **34123**, 85
Premium MAK Pro 2 Sections, **34130**, 87
Premium MAK Pro 3 Sections, **34130**, 87

R

Room Divider, **36102**, 73

S

Sofa Bed, **99002**, 122
Sotamak Electric Bed, **77021**, 51
Sotamak Electric Bed, **77022**, 51
Sotamak Electric Bed, **77023**, 51
Sotamak Electric Bed, **77024**, 52
Sotamak Electric Bed, **77041**, 55
Sotamak Electric Bed, **77042**, 55
Sotamak Electric Bed, **77043**, 56
Sotamak Electric Bed, **77044**, 57
Sotamak Electric ICU-ICCU Bed, **77031**, 53
Sotamak Electric ICU-ICCU Bed, **77032**, 53
Sotamak Electric ICU-ICCU Bed, **77033**, 53
Sotamak Electric ICU-ICCU Bed, **77034**, 54
Sotamak Electric ICU-ICCU Bed, **77051**, 59
Sotamak Electric ICU-ICCU Bed, **77052**, 59
Sotamak Electric ICU-ICCU Bed, **77053**, 60
Sotamak Electric ICU-ICCU Bed, **77054**, 61
Sotamak Electric ICU-ICCU Bed Column, **78001**, 63
Sotamak Hydraulic Bed, **77011**, 49
Sotamak Manual Crank Bed, **77001**, 47
Sotamak Manual Crank Hydraulic Bed, **77002**, 48
Supramak Electric Bed, With C-Lock, **73002**, 28
Supramak Electric Bed, Without C-Lock, **73001**, 27
Supramak Electric Bed, With Weighing Scale, **73002 W**, 29
Supramak Electric ICU-ICCU Bed, **73003**, 28
Supramak Electric ICU-ICCU Bed, with CPR, **73003 CPR**, 31
Supramak Electric ICU-ICCU Bed, with Weighing Scale, **73003 W**, 32
Supramak Electric ICU-ICCU Bed, with Weighing Scale & CPR, **73003 W CPR**, 32
Supramak Manual Bed, **73004**, 34
Supramak Manual Bed, **73005**, 34
Supramak Manual Bed, **73006**, 36
Supramak Manual Bed, **73007**, 35
Supramak Manual Bed, **73010**, 36
Supramak Manual ICU-ICCU Bed, **73003 MH**, 38

T

Transporting Patient Stretcher, **31207**, 106
Transferring Patient Stretcher, **31209**, 107
Transferring Patient Stretcher, with Trendelenburg, **31209 T**, 107
Transferring Patient Stretcher, with Trendelenburg Hydraulic, **31209 TH**, 108
TV and Refrigerator Shelves, **31823**, 73

U

Urinal & Bedpan Carriage, **36303**, 115

W

Wheel Chair Mild Steel, **31305**, 110
Wheel Chair Stainless, **31303**, 110
Waiting Chairs, **99103**, 123
Waiting Chairs, **99104**, 124